

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ



މިލިއުމުގެ ވަޢަދު

މިލިއުމުގެ ވަޢަދުގެ ނަންބަރު: 2026/266-PR/266/2026/33
މިލިއުމުގެ ވަޢަދުގެ ނަންބަރު: 1

Supply of Equipment to Kulhudhuffushi City Council

PC-266/2026/G-04

މިލިއުމުގެ ވަޢަދުގެ ނަންބަރު: 2026

(IUL)266-PR/266/2026/33

މިލިއުމުގެ ވަޢަދުގެ ނަންބަރު: 1

މިލިއުމުގެ ވަޢަދުގެ ނަންބަރު: 2026

މިލިއުމުގެ ވަޢަދުގެ ނަންބަރު: 1

މިލިއުމުގެ ވަޢަދުގެ ނަންބަރު: 2026

މިލިއުމުގެ ވަޢަދުގެ ނަންބަރު: 2026
މިލިއުމުގެ ވަޢަދުގެ ނަންބަރު: 1

7. "2026-2027" 2026-2027 2026-2027 2026-2027 2026-2027 2026-2027

(8) 2026-2027

7.1 2026-2027 2026-2027 2026-2027 2026-2027 2026-2027

7.1.1 2026-2027 (2026-2027)

7.1.2 2026-2027 2026-2027 (2026-2027)

7.1.3 2026-2027 2026-2027 (2026-2027)

7.1.4 2026-2027 (2026-2027)

7.1.5 2026-2027 (2026-2027 - 5)

7.1.6 2026-2027 (2026-2027)

8.1 2026-2027 2026-2027 2026-2027 2026-2027 2026-2027

8.2 2026-2027 2026-2027 2026-2027 2026-2027

9.1 2026-2027 2026-2027 2026-2027 "2026-2027" 2026-2027

9.2 2026-2027 2026-2027 2026-2027 2026-2027 2026-2027

9.3 2026-2027 2026-2027 2026-2027 2026-2027 2026-2027

10.1 2026-2027 2026-2027 2026-2027 2026-2027 2026-2027

1. 2026-2027 33-266-PR/266/2026/33
 2. 2026-2027 33-266-PR/266/2026/33
 3. 2026-2027 33-266-PR/266/2026/33

(4)

4. 2026-2027 33-266-PR/266/2026/33
 5. 2026-2027 33-266-PR/266/2026/33
 6. 2026-2027 33-266-PR/266/2026/33
 7. 2026-2027 33-266-PR/266/2026/33
 8. 2026-2027 33-266-PR/266/2026/33
 9. 2026-2027 33-266-PR/266/2026/33
 10. 2026-2027 33-266-PR/266/2026/33

(5)

11. 2026-2027 33-266-PR/266/2026/33
 12. 2026-2027 33-266-PR/266/2026/33
 13. 2026-2027 33-266-PR/266/2026/33
 14. 2026-2027 33-266-PR/266/2026/33
 15. 2026-2027 33-266-PR/266/2026/33

(6)

16. 2026-2027 33-266-PR/266/2026/33
 17. 2026-2027 33-266-PR/266/2026/33
 18. 2026-2027 33-266-PR/266/2026/33
 19. 2026-2027 33-266-PR/266/2026/33
 20. 2026-2027 33-266-PR/266/2026/33

(7)

21. 2026-2027 33-266-PR/266/2026/33
 22. 2026-2027 33-266-PR/266/2026/33
 23. 2026-2027 33-266-PR/266/2026/33
 24. 2026-2027 33-266-PR/266/2026/33
 25. 2026-2027 33-266-PR/266/2026/33

(8)

26. 2026-2027 33-266-PR/266/2026/33
 27. 2026-2027 33-266-PR/266/2026/33
 28. 2026-2027 33-266-PR/266/2026/33
 29. 2026-2027 33-266-PR/266/2026/33
 30. 2026-2027 33-266-PR/266/2026/33

(9) 2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

(10) 2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

(11) 2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

(12) 2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

(13) 2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

(14) 2026-2027 33-266-PR/266/2026/33

10.28 2026-2027 33-266-PR/266/2026/33

(15) 2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

(16) 2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

2026-2027 33-266-PR/266/2026/33

2 - ބަޔާނު

ސަރުކާރުގެ ބަޔާނު

1. ސަރުކާރުގެ ބަޔާނުގެ ގޮތުގައި ބަޔާނު	
1.1	ބަޔާނުގެ ގޮތުގައި ބަޔާނުގެ ގޮތުގައި ބަޔާނު
1.2	ބަޔާނުގެ ގޮތުގައި ބަޔާނުގެ ގޮތުގައި ބަޔާނު
1.3	ބަޔާނުގެ ގޮތުގައި ބަޔާނުގެ ގޮތުގައި ބަޔާނު
1.4	ބަޔާނުގެ ގޮތުގައި ބަޔާނުގެ ގޮތުގައި ބަޔާނު
1.5	ބަޔާނުގެ ގޮތުގައި ބަޔާނުގެ ގޮތުގައި ބަޔާނު
2. ސަރުކާރުގެ ބަޔާނުގެ ގޮތުގައި ބަޔާނު	
2.1	ސަރުކާރުގެ ބަޔާނުގެ ގޮތުގައި ބަޔާނުގެ ގޮތުގައި ބަޔާނު
2.2	(IUL)266-PR/266/2026/33
3. ސަރުކާރުގެ ބަޔާނު	
3.1 ސަރުކާރުގެ ބަޔާނު	
3.2 ސަރުކާރުގެ ބަޔާނު	
4. ސަރުކާރުގެ ބަޔާނުގެ ގޮތުގައި ބަޔާނު	
4.1	ސަރުކާރުގެ ބަޔާނުގެ ގޮތުގައި ބަޔާނުގެ ގޮތުގައި ބަޔާނު
4.2	ސަރުކާރުގެ ބަޔާނުގެ ގޮތުގައި ބަޔާނުގެ ގޮތުގައި ބަޔާނު
4.3	ސަރުކާރުގެ ބަޔާނުގެ ގޮތުގައި ބަޔާނުގެ ގޮތުގައި ބަޔާނު
5. ސަރުކާރުގެ ބަޔާނުގެ ގޮތުގައި ބަޔާނު	
	ސަރުކާރުގެ ބަޔާނު

5
()

Form of Bid Security (Bank Guarantee)

WHEREAS, [name of Bidder] (hereinafter called "the Bidder") [company registration number] has submitted his Bid for the Project no.....issued by the Secretariat of Kulhudhuffushi City Council onfor construction of[name of Contract] (hereinafter called "the Bid") under Invitation of bidders No. [Announcement Number]

KNOW ALL PEOPLE by these presents that We [name of Bank] of [name of country] having our registered office at (hereinafter called "the Bank") are bound unto [name of Purchaser] (hereinafter called "the Purchaser") in the sum of *..... for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
or
(2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
(b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
(c) does not accept the correction of the Bid Price pursuant to Clause 27,

* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 28.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser's having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS SEAL

[signature, name, and address]

5 - 5
 5 - 5

No.	Description	Qty	Rate	Total
Part 1				
1	Single Disc Cleaning Machine	01		
2	Portable Jig Saw – 18V	01		
3	Cordless LITHIUM-ION 2-Tool Combo Kit (18V)	01		
4	Cordless LITHIUM-ION 2-Tool Combo Kit (12V)	01		
5	18V LXT® Brushless Blower / Vacuum Mulcher Kit (6.0Ah)	02		
6	Cordless Angle Grind – 18V	01		
7	Cordless Chain Saw – 18V (Top Handle Type)	02		
8	Cordless Hedge Trimmer – 18V (Heavy-Duty Type)	01		
9	4-in-1 Cordless Pole Saw & Pruning Kit – 18V	01		
10	Cordless Compact Blower – 18V	01		
11	Rototiller / Soil Cultivator	01		
12	Cordless Earth Auger – 36V (Twin 18V Batteries)	01		
13	Cordless Earth Auger – 36V (Twin 18V Batteries)	01		
14	Earth Auger Drill Bit	02		
15	Earth Auger Bit Adapter D	02		
16	Sod Cutter – Petrol / Gasoline Powered	01		
17	Petrol Mini Stump Grinder – 15 HP	01		
18	Industrial Dryer – 15 kg	01		
19	High-Pressure Cleaner	02		
20	Heavy-Duty Impact Phillips Screwdriver Bit (5 pcs pack)	02		
21	Insulated Screwdriver Set – 1000V with Case (8 pcs per set)	02		
22	Multifunctional Wire Stripper with Voltage Tester – Heavy Duty	02		
23	Bucket Grease Pump – 10 Kg Capacity	01		
24	Masonry Drill Bit Set – Tungsten Carbide Tip (10-Piece per set)	03		
25	Concrete Screw Assortment Kit with Drill Bit – Flat Head Type (200 per set)	10		
26	Heavy-Duty Tool Bag with Multiple Pockets	02		

27	Brad Nails – 18 Gauge Stainless Steel (1000 Pieces Pack)	10		
28	Stainless Steel Corner Brace – L Bracket (20 Pieces Pack)	10		
Part 2				
29	Cordless Screwdriver	02		
30	Battery Tester	01		
31	Micro Cleaning Tools Computer Vacuum/Blower Duster	01		
32	CCTV Tester	01		
33	RJ45 Crimping Tool)	02		
34	Shear Cutter	02		
35	Wire Stripper	04		
36	Networking Probe Kit	02		
37	Krone Impact Terminal Tool with Lock (Keystone Punch down)	01		
38	Multimeter	01		
39	Screwdriver set & Spudger pry tool	02		
40	Heavy duty craft knife (Cutter Knife)	04		
41	Tool bag	04		
42	Soldering wire	04		
43	Combination plier	01		
44	Long nose plier	04		
45	Wireless mini screwdriver set	01		
			Sub Total	
			GST 8%	
			Net Total	

6 - 6

6

6

6

1. 6

1.1

1.1.1

1.1.2

1.1.3

1.1.4

1.1.5

1.1.6

1.1.7

1.2. Minimum requirements for Single Disc Cleaning Machine

Minimum requirements

Item 01: Single Disc Cleaning Machine

Quantity: 1

Warranty: Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Kärcher, Comac, Nilfisk (or equivalent)
Machine Type	Universal Single-Disc Floor Cleaning Machine
Working Width (Brush)	Minimum 430 mm
Working Height	Minimum 90 mm
Brush Speed	Dual Speed: 150 rpm / 300 rpm
Brush Contact Pressure	Minimum 45 kg
Motor Power	Minimum 1,500 W (high-torque motor)
Voltage / Frequency	220 V / 50 Hz
Drive Type	Mains powered
Sound Pressure Level	66 dB(A)
Tank Capacity	Minimum 10 litres
Mobility	Large wheels for easy transport, including stair handling
Optional Accessories	Tank, brushes (various hardness), pads, microfiber pad, diamond pads
Body Material	Industrial-grade housing
Applications	<ul style="list-style-type: none"> ○ Cleaning hard, elastic, and textile floors ○ Polishing various surfaces ○ Sanding or finishing parquet
Noise Level Advantage	Very quiet operation; suitable for hotels, hospitals, offices
Extra Features	<ul style="list-style-type: none"> ○ Wide ergonomic handle ○ Excellent smooth running

Sample photo



Item 02: Portable Jig Saw – 18V

Quantity: 1

Warranty: Minimum 1 Year Hardware Warranty

Specification	Description / Features
Item	Portable Jig Saw – 18V, including battery
Minimum Brands	Makita, DeWalt, Milwaukee
Power Source	18V Li-ion Battery
Motor Type	Brushless motor
Handle Type	Barrel type handle
Blade Type	Alloy Steel, T-shank, tool-free blade change
Soft No-Load Function	Yes
LED Lighting	Twin LED job light
Blower Function	Yes – clears wood dust from line of cut
Maximum Cutting Capacity – Wood	135mm
Maximum Cutting Capacity – Steel	10mm
Maximum Cutting Capacity – Aluminium	20mm
Ergonomics	Variable speed trigger, ergonomic grip

Sample photo

Item 03: Cordless LITHIUM-ION 2-Tool Combo Kit (18 V)

Quantity: 1

Warranty: Minimum 1 Year Hardware Warranty

Specification	Description / Features
Item	Cordless LITHIUM-ION 2-Tool Combo Kit
Minimum Brands	Milwaukee / Makita / DeWalt (or equivalent)
Tools Included	1 × Cordless Drill Driver 1 × Cordless Impact Driver
Voltage	18V DC
Battery Type	Lithium-Ion (Li-ion)
Batteries Included	Minimum 2 × 18V batteries
Battery Capacity	≥ 6.0 Ah per battery
Charger	1 × Fast charger included
Drill Chuck Size	13 mm (½") keyless chuck
Drill Torque	Minimum 40 Nm
Impact Driver Torque	Minimum 150 Nm

Sample photo

Minimum requirements

Item 04: Cordless LITHIUM-ION 2-Tool Combo Kit (12V)

Quantity: 1

Warranty: Minimum 1 Year Hardware Warranty

Specification	Description / Features
Item	Cordless LITHIUM-ION 2-Tool Combo Kit
Minimum Brands	Milwaukee / Makita / DeWalt (or equivalent)
Tools Included	1 × Cordless Drill Driver 1 × Cordless Impact Driver
Voltage	12V DC
Battery Type	Lithium-Ion (Li-ion)
Batteries Included	Minimum 2 × 12V batteries
Battery Capacity	≥ 6.0 Ah per battery
Charger	1 × Fast charger included
Drill Chuck Size	13 mm (½") keyless chuck
Drill Torque	Minimum 40 Nm
Impact Driver Torque	Minimum 150 Nm
Warranty	1 Year

Sample photo

Item 05: 18V LXT® Brushless Blower / Vacuum Mulcher Kit (6.0Ah)

Quantity: 2

Warranty: Minimum 1 Year Hardware Warranty

Specification	Requirement
Item	18V LXT® Brushless Blower / Vacuum Mulcher Kit
Minimum Brands	Makita / Milwaukee / DeWalt (or equivalent)
Tool Type	Cordless Blower with Vacuum & Mulching Function
Voltage	18V DC
Battery Type	Lithium-Ion (Li-ion)
Batteries Included	Minimum 2 × 18V battery
Battery Capacity	≥ 6.0 Ah
Motor Type	Brushless motor
Blower Air Speed	≥ 150 km/h
Blower Air Volume	≥ 8 m ³ /min
Vacuum Function	Yes
Mulching Function	Yes
Mulching Ratio	≥ 10:1
Speed Control	Variable speed trigger
Collection Bag	Included
Design	Lightweight, ergonomic for prolonged use
Application	Clearing leaves, dust, dry debris, lawn waste
Charger	1 × Battery charger included

Sample Photo

Item 06: Cordless Angle Grind – 18V**Quantity:** 1**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Milwaukee (or equivalent)
Tool Type	Cordless Angle Grinder
Disc Size	4½" (115 mm)
Power Source	Cordless
Voltage	18V DC
Battery Platform	18V Lithium-Ion
Batteries Included	Minimum 2 × 18V Lithium-Ion batteries
Battery Capacity	≥ 6.0 Ah per battery
Charger	1 × Battery charger included
Motor Type	Brushless motor
Speed Control	Variable speed
No-Load Speed	≥ 8,500 RPM
Spindle Lock	Yes
Safety Guard	Adjustable protective guard included
Handle	Ergonomic side handle
Body Material	Heavy-duty industrial-grade housing
Applications	Grinding metal and masonry, Cutting steel and similar materials, Surface polishing

Sample Photo

Item 07: Cordless Chain Saw – 18V (Top Handle Type)**Quantity:** 2**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Makita (or equivalent)
Tool Type	Cordless Top Handle Chain Saw
Power Source	Cordless
Voltage	18V DC
Battery Platform	18V Lithium-Ion (LXT or equivalent)
Battery Included	Minimum 2 × 18V Lithium-Ion battery
Battery Capacity	≥ 6.0 Ah
Charger	1 × Battery charger included
Motor Type	Brushless motor
Guide Bar Length	12" (300 mm)
Chain Speed	≥ 8 m/s
Chain Tensioning	Tool-less chain adjustment
Lubrication	Automatic chain oiling system
Handle Type	Top handle with ergonomic grip
Safety Features	Chain brake, hand guard
Body Material	Heavy-duty industrial-grade housing
Applications	• Tree pruning, Branch cutting, General garden and maintenance work

Sample photo

Item 08: Cordless Hedge Trimmer – 18V (Heavy-Duty Type)**Quantity:** 01**Usage:** Garden / Landscaping / Municipal Maintenance**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Milwaukee (or equivalent)
Model Reference	M18 FUEL 30" Hedge Trimmer Kit (or equivalent)
Tool Type	Cordless Hedge Trimmer
Power Source	Cordless
Voltage	18V DC
Battery Platform	18V Lithium-Ion
Batteries Included	Minimum 2 × 18V Lithium-Ion batteries
Battery Capacity	≥ 8.0 Ah (High Output type preferred)
Charger	1 × Fast charger included
Motor Type	Brushless motor (FUEL technology or equivalent)
Blade Type	Dual-sided, dual-action hardened steel blade
Blade Length	≥ 30" (≈ 760 mm)
Cutting Capacity	≥ 32 mm (≈ 1-1/4" branch diameter)
Blade Speed	≥ 3,400 strokes per minute
Handle Type	Ergonomic handle with rotating rear handle (multi-position)
Safety Features	Two-hand safety switch, blade guard, safety lock
Body Material	Heavy-duty industrial-grade housing
Sample Photo	Reference image only

Sample Photo

Item 09: 4-in-1 Cordless Pole Saw & Pruning Kit – 18V**Quantity:** 01**Usage:** Garden / Landscaping / Tree Trimming**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Makita / Milwaukee (or equivalent)
Tool Type	4-in-1 Cordless Pole Saw & Pruning Kit
Power Source	Cordless
Voltage	18V DC
Battery Platform	18V Lithium-Ion
Batteries Included	Minimum 4 × 18V Lithium-Ion batteries
Battery Capacity	≥ 6.0 Ah per battery
Charger	1 × Battery charger included
Motor Type	Brushless motor
Pole Type	Extendable telescopic pole
Pole Reach	Adjustable reach up to ≥ 14 ft (≈ 4.2 m)
Chainsaw Attachment	Mini chainsaw attachment included
Guide Bar Length	≥ 8" (200 mm)
Pruning Shears	Electric pruning shears included
Cutting Capacity (Shears)	≥ 25 mm branch diameter
Blade Type (Shears)	Hardened steel cutting blade
Attachment System	Quick-connect / tool-less attachment system
Safety Features	Safety lock, chain brake, hand guard
Handle Type	Ergonomic handle with non-slip grip
Support Accessories	Shoulder strap / carrying support included
Maintenance Accessories	Basic tool kit for chain adjustment included
Body Material	Heavy-duty industrial-grade housing
Noise Level	Suitable for outdoor garden use
Applications	Tree trimming, Branch pruning, High-reach cutting,

Sample Photo

Item 10: Cordless Compact Blower – 18V**Quantity:** 01**Usage:** General / Maintenance / Workshop**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Milwaukee (or equivalent)
Tool Type	Cordless Compact Blower
Power Source	Cordless
Voltage	18V DC
Battery Platform	18V Lithium-Ion
Batteries Included	Minimum 2 × 18V Lithium-Ion batteries
Battery Capacity	≥ 6.0 Ah per battery
Charger	1 × Battery charger included
Motor Type	High-performance motor
Air Speed	≥ 160 km/h
Air Volume	≥ 2.5 m ³ /min
Speed Control	Variable speed trigger
Nozzle Type	Removable nozzle included
Design	Compact and lightweight design
Handle Type	Ergonomic handle with non-slip grip
Body Material	Heavy-duty industrial-grade housing
Applications	Dust removal from equipment, Cleaning workshops and tools
Blowing debris from work areas	
Noise Level	Suitable for indoor and outdoor maintenance use
Extra Features	Lock-on switch for continuous use, Low vibration operation

Sample Photo

Item 11: Rototiller / Soil Cultivator**Quantity:** 01**Usage:** Garden**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Requirement
Brand / Model	Hyundai HYT150 (or equivalent petrol rototiller / soil cultivator)
Engine Type	4-Stroke Petrol Engine
Displacement	150 cc
Rated Power	Approx. 2.7 kW
Fuel Type	Unleaded Petrol
Fuel Tank Capacity	Approx. 0.8 litres
Oil Capacity	Approx. 0.4 litres
Tilling Width	~550–600 mm (adjustable if applicable)
Tilling Depth	≥ 250 mm (adjustable)
Transmission	Gear Drive System
Ignition	Recoil / Pull Start
Handle Type	Ergonomic handle with integrated controls
Wheels / Mobility	Transport wheels for easy positioning
Noise Level	Designed for outdoor gardening use
Frame Material	Heavy-duty steel construction
Applications	Soil loosening, bed preparation, turf cultivation, garden maintenance
Safety Features	Throttle safety kill switch, guard covers over tines
Dimensions (Approx.)	L × W × H (manufacturer spec)
Net Weight (Approx.)	~40–50 kg
Power to Weight Balance	Designed for efficient turf penetration and maneuverability
Fuel Consumption	Optimized for extended field operation

Sample Photo

Item 12: Cordless Earth Auger – 36V (Twin 18V Batteries)**Quantity:** 01**Usage:** Garden / Landscaping / Fence Post Holes / General Earth Drilling**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Makita (or equivalent)
Tool Type	Cordless Earth Auger
Power Source	Cordless (Battery Powered)
Voltage	18V × 2 (36V total output)
Battery Platform	18V Lithium-Ion
Batteries Included	Minimum 2 × 18V Lithium-Ion batteries
Battery Capacity	≥ 5.0 Ah per battery (higher capacity preferred)
Charger	1 × Fast battery charger included
Motor Type	Brushless motor
Speed Settings	Variable 2-speed control
Maximum Torque	≥ 130 Nm
Auger Capacity – Sandy Soil	≥ 200 mm
Auger Capacity – Clay Soil	≥ 150 mm
Reversing Function	Yes (for bit removal)
Safety Features	Built-in clutch, overload protection
Handle Type	Dual side assist handles for stability
Body Material	Heavy-duty industrial-grade housing
Protection	Dust and water-resistant construction
Applications	• Digging fence post holes, Tree planting, Landscaping preparation
Noise Level	Suitable for outdoor use

Sample Photo

Item 13: Earth Auger Drill Bit
Quantity: 2

Specification	Description / Features
Bit compatible to	Makita DDG460 Cordless Earth Auger
Material	Alloy Steel
Cutting Diameter	7.92 Inches
Finish Type	Steel
Shank Type	Straight
Tool Flute Type	Spiral
Minimum Bore Diameter	8 Inches
Surface Recommendation	Alloy Steel



Item 14: Earth Auger Bit Adapter D
Quantity: 2

Specification	Description / Features
	Earth auger bit adapter
	Suitable for use with Makita cordless DDG460 Earth Auger
	Manufactured from steel for increased durability and a longer service life
	Adapter installs quickly and easily
	Compatible with industrial earth auger drill bits



Item 15: Sod Cutter – Petrol / Gasoline Powered**Quantity:** 01**Usage:** Garden / Landscaping / Lawn Replacement / Ground Preparation**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Commercial / Industrial Grade (Makita / equivalent)
Machine Type	Gasoline Powered Sod Cutter
Power Source	Petrol / Gasoline engine
Engine Type	4-Stroke / 2-Stroke petrol engine
Engine Capacity	≥ 160 cc (approx.)
Rated Power	≥ 4.0 kW (approx.)
Cutting Width	≥ 450 mm
Cutting Depth	Adjustable up to ≥ 50 mm
Drive Type	Self-propelled or push type
Transmission	Gear driven
Wheels	Large wheels for easy transport
Throttle Control	Handle-mounted throttle control
Blade System	Hardened steel sod cutting blade
Fuel Tank Capacity	Sufficient for extended operation
Starting System	Recoil / Pull start
Handle Type	Adjustable ergonomic handle
Safety Features	Blade guard, engine safety cut-off
Body Material	Industrial-grade housing
Applications	• Lawn replacement, Landscaping prep, Sod cutting and trenching
Noise Level	Suitable for outdoor use
Extra Features	Adjustable cutting depth, Easy wheel transport design

Sample Photo

Item 16: Petrol Mini Stump Grinder – 15 HP**Quantity:** 01**Usage:** Garden / Landscaping / Forestry / Tree Stump Removal**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	K-Maxpower (or equivalent)
Tool Type	Petrol Mini Stump Grinder
Power Source	Petrol / Gasoline engine
Engine Capacity	~420 cc
Engine Power	~15 HP
Starting System	Electric start (preferred)
Cutting Wheel Diameter	≥ 300 mm
Cutting Wheel Thickness	≥ 90 mm
Teeth Quantity	≥ 9 carbide-tipped teeth
Carbide Teeth	Hardened alloy carbide cutting teeth
Cutter Depth Below Ground	≥ 235 mm
Cutter Height Above Ground	≥ 600 mm
Drive System	Heavy-duty V-belt drive with centrifugal clutch
Wheels	Thick/tread wheels for mobility
Handle Type	Adjustable ergonomic handle
Safety Features	Blade guard, emergency shut-off
Body Material	Heavy-duty industrial-grade housing
Applications	Tree stump grinding, Root removal, Landscaping and garden clearing
Noise Level	Suitable for outdoor field use

Sample Photo

Item 17: Petrol Self-Propelled Lawn Mower – 20" / 51 cm**Quantity:** 01**Usage:** Garden / Landscaping / Grounds Maintenance**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Hyundai / Inhell / Cobra (or equivalent)
Model Reference	HYM510SP (or equivalent petrol mower)
Machine Type	Petol Self-Propelled Lawn Mower
Power Source	Petrol / Gasoline engine
Engine Type	4-Stroke petrol engine
Engine Capacity	≥ 196 cc
Drive Type	Self-propelled (variable speed)
Cutting Width	20" (≈ 51 cm)
Cutting Height	Adjustable, multiple positions
Deck Type	Steel construction, robust housing
4-in-1 Functionality	Mulch / Rear discharge / Side discharge / Collection
Grass Collection	Rear catcher bag included
Wheels	Large rear wheels and durable front wheels
Handle Type	Ergonomic, height-adjustable handle
Safety Features	Operator presence control / safety lever
Starting System	Recoil / Easy start
Transmission	Gears / self-propel drive with variable speed
Body Material	Heavy-duty steel deck with corrosion protection
Cutting Blades	Heavy-duty high-quality steel mower blade
Spare Blade Included	1 × Additional high-quality spare cutting blade included
Noise Level	Suitable for outdoor facility use
Applications	Lawn mowing, Landscape maintenance, Garden trimming
Extra Features	Wash hose connector for easy cleaning, Heavy-duty cutting blades

Sample Photo

Item 18: Industrial Dryer – 15 kg**Quantity:** 01**Usage:** General / Facility / Laundry**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Minimum Requirement
Brand	OSIS / OASIS (or equivalent industrial laundry equipment brand)
Type	Commercial / Industrial Tumble Dryer
Drying Capacity	≥ 15 kg (dry load)
Drum Material	Stainless Steel (AISI 304 or equivalent)
Outer Body	Heavy-duty, rust-resistant steel panels
Door	Large loading door with wide opening (≥ 180°)
Motor Type	Heavy-duty industrial motor with belt drive
Heating Type	Electric heating system
Control Type	Automatic control with adjustable drying time and temperature
Airflow System	High-efficiency axial airflow system
Drum Rotation	Reversible or alternating drum rotation
Noise Level	Low vibration, suitable for indoor commercial use
Power Supply	380V / 50Hz (industrial supply)
Safety Features	Thermal overload protection, emergency stop, door safety switch
Installation	Floor standing
Application	Hotels, hospitals, commercial laundries, facility laundry rooms

Sample Photo

Item 19: High-Pressure Cleaner**Quantity:** 01**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Kärcher (or equivalent)
Machine Type	Cold-Water High-Pressure Cleaner
Power Source	Mains / Electric
Supply Voltage / Frequency	230 V / 50 Hz, Single Phase
Connected Load	Approx. 2.5 kW
Working Pressure	Approx. 120 bar
Maximum Pressure	Approx. 175 bar
Water Flow Rate	Approx. 500 L/h
Inlet Temperature Rating	≤ 60 °C
High-Pressure Hose	Approx. 10 m
Spray Gun	High-pressure spray gun included
Spray Lance	Standard extension lance
Nozzle	Variable (multi-pattern or interchangeable)
Cleaning Agent Function	Detergent suction / application
Safety / Control	Automatic pressure shut-off
Construction	Industrial-grade chassis and pump
Applications	Removal of dirt, grime, surfaces cleaning
Body Material	Sturdy housing with wheels for mobility
Handling	Carry handle / transport design

Sample Photo

Item 20: Heavy-Duty Impact Phillips Screwdriver Bit(5 pcs pack)**Quantity:** 02 set**Usage:** Electrical / Mechanical / General Installation Works

Specification	Description / Features
Brand	Milwaukee / Bosch / Makita / DeWalt (or equivalent)
Model Reference	SHOCKWAVE™ Impact Duty Phillips Bit (48-32-4564 or equivalent)
Bit Type	Phillips Screwdriver Bit
Size	PH2
Bit Length	≥ 3.5" (≈ 90 mm)
Shank Type	1/4" Hex shank
Material	High-strength alloy steel
Compatibility	Suitable for impact drivers and drill drivers
Impact Rating	Impact-rated for heavy-duty applications
Tip Type	Precision-machined Phillips tip
Tip Protection	Wear-resistant tip to prevent stripping
Torque Protection	Shock-absorbing shank to reduce breakage
Surface Finish	Corrosion-resistant coating
Identification	Laser-etched size marking
Durability	Heat-treated for extended service life
Applications	Electrical installation, Industrial maintenance, Mechanical fastening

Sample Photo

Item 21: Insulated Screwdriver Set – 1000V with Case
Quantity: 2 Set
Usage: Electrical / Mechanical / General Installation Works

Specification	Description / Features
Brand	HOUSERAN (or equivalent)
Tool Type	Insulated Screwdriver Set
Set Contents	Minimum 8-Piece Screwdriver Set
Screwdriver Types	Phillips and Slotted Screwdrivers
Insulation Rating	1000 Volt AC rated
Blade Material	Hardened Chrome Vanadium Steel
Blade Finish	Corrosion-resistant coating
Handle Type	Ergonomic insulated handle
Handle Material	Non-conductive heavy-duty insulated material
Safety Features	Shock-proof insulation for electrical safety
Tip Type	Precision-machined tips for secure fastening
Identification	Clearly marked size and type
Storage	Heavy-duty carrying case included
Durability	Industrial-grade construction
Applications	Electrical installation work
	Electrical maintenance
	Termination works
	Industrial and facility maintenance
Compliance	Suitable for professional electrician use

Sample Photo



Item 22: Multifunctional Wire Stripper with Voltage Tester – Heavy Duty**Quantity:** 2**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Generic / Commercial Grade (or equivalent)
Tool Type	Multifunctional Wire Stripper with Built-in Voltage Tester
Functions	Minimum 8-in-1 multifunction tool
Main Functions	Wire stripping, wire cutting, crimping, cable cutting, terminal crimping
Voltage Tester Range	12V – 250V AC / DC
Voltage Detection	Hot and Neutral wire detection
Tester Type	Integrated electrical voltage tester
Wire Stripping Range	Suitable for multiple wire sizes (approx. 0.5 mm ² to 6 mm ² or equivalent)
Cutting Blade Material	Hardened high-carbon steel
Body Material	Heavy-duty industrial-grade steel
Handle Type	Ergonomic insulated non-slip handle
Insulation	Electrical insulated handle for safety
Grip Type	Anti-slip comfort grip
Spring Mechanism	Automatic opening spring
Safety Features	Shock-resistant handle
Durability	Corrosion-resistant finish
Colour	Green or equivalent
Applications	Electrical installation, Electrical maintenance, Wire cutting and stripping Electrical troubleshooting, Industrial and facility maintenance
Compliance	Suitable for professional electrician use

Sample Photo

Item 23: Bucket Grease Pump – 10 Kg Capacity**Quantity:** 1**Warranty:** Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	GROZ (or equivalent)
Tool Type	Hand Operated Bucket Grease Pump
Grease Bucket Capacity	Minimum 10 kg
Operating Type	Manual lever operated
Maximum Pressure	≥ 275 Bar (4,000 PSI)
Grease Delivery	Up to 9 g per stroke (high volume setting)
Pressure Settings	High pressure, medium pressure, and high volume selectable settings
Hose	High-pressure rubber hose, minimum 2 m length
Hose Size	Approx. 1/4" internal diameter
Compatibility	Suitable for NLGI 1, 2, and 3 greases
Construction	Heavy-duty steel construction
Follower Plate	Rubber lined follower plate included
Handle Type	Heavy-duty lever handle
Applications	Lubrication of machinery, Earth-moving equipment, Agricultural equipment Automotive maintenance, Industrial maintenance
Mobility	Portable bucket type design
Durability	Industrial-grade construction
Compliance	Suitable for professional industrial use

Sample Photo

Item 24: Masonry Drill Bit Set – Tungsten Carbide Tip (10-Piece)**Quantity:** 3 Set**Warranty:** Minimum 1 Year Hardware Warranty


Specification	Description / Features
Brand	Generic / Industrial Grade (or equivalent)
Tool Type	Serrated Masonry Drill Bit Set
Set Contents	Minimum 10-Piece Drill Bit Set
Drill Bit Sizes	Range from 3/16" to 1/2" (approx. 5 mm to 12 mm)
Tip Material	Tungsten Carbide Tip
Body Material	Hardened high-carbon steel
Tip Design	Serrated cutting edge for improved drilling performance
Shank Type	Standard round shank
Compatibility	Suitable for electric drill and hammer drill
Heat Resistance	High heat resistance for heavy-duty use
Durability	Wear-resistant and long service life
Storage	Storage case included
Applications	Concrete drilling, Brick drilling, Tile drilling, Masonry drilling, Wood drilling, Plastic drilling, Light metal drilling
Performance	Suitable for professional and industrial use
Compliance	Suitable for maintenance and construction work

Sample Photo

Item 25: Concrete Screw Assortment Kit with Drill Bit – Flat Head Type
Quantity: 10 Set (Each set 200 pcs)

Specification	Description / Features
Brand	SATANTECH (or equivalent)
Tool Type	Concrete Screw Assortment Kit
Set Contents	Minimum 200 Pieces Concrete Screws from each size
Screw Sizes	Mixed sizes including approx. 3/16" and 1/4" diameter
Head Type	Flat Head Only
Drive Type	Hex / Torx / Phillips drive (manufacturer standard)
Drill Bit Included	Compatible masonry drill bit included
Point Type	Diamond point self-drilling tip
Thread Type	High-strength masonry thread
Material	Hardened carbon steel
Surface Finish	Corrosion-resistant coating
Compatibility	Suitable for concrete, brick, cement block, and masonry
Installation Type	Pilot hole installation using supplied drill bit
Holding Strength	High pull-out strength
Storage	Heavy-duty plastic storage case included
Durability	Industrial-grade heavy-duty construction
Applications	Concrete fixing, Masonry fixing, Electrical installation, Structural fixing, Equipment mounting
Compliance	Suitable for professional construction and maintenance use

Sample Photo



Item 26: Heavy-Duty Tool Bag with Multiple Pockets**Quantity: 2**

Specification	Description / Features
Brand	Amazon Basics (or equivalent)
Tool Type	Heavy-Duty Tool Bag
Bag Type	Soft-sided portable tool storage bag
Material	Heavy-duty polyester fabric
Fabric Weight	Minimum 600D polyester (or equivalent industrial grade)
Base Type	Reinforced and abrasion-resistant bottom
Frame	Flexible soft frame
Opening Type	Wide mouth opening
Closure Type	Heavy-duty zipper closure
Handle Type	Dual carry handles with padded grip
Shoulder Strap	Adjustable and removable shoulder strap included
Storage Pockets	Multiple internal and external pockets (minimum 10 pockets)
Pocket Type	Combination of open and closed pockets
Load Capacity	Suitable for carrying heavy tools
Stitching	Reinforced industrial stitching
Colour	Black / Standard industrial colour
Portability	Lightweight and easy to carry
Durability	Industrial-grade heavy-duty construction
Applications	Electrical maintenance, Mechanical maintenance, Workshop use, Construction work, Facility maintenance
Compliance	Suitable for professional and industrial use

Sample Photo

Item 27: Brad Nails – 18 Gauge Stainless Steel (1000 Pieces Pack)
Quantity: 10 Pack each Nail length

Specification	Description / Features
Brand	DEWBIN (or equivalent)
Product Type	Brad Nails
Nail Gauge	18 Gauge
Nail Material	Stainless Steel
Surface Finish	Corrosion-resistant finish
Nail Length	Approx. 1" (25 mm) and 2" (50mm) or as required
Nail Head Type	Brad head
Nail Shank Type	Straight smooth shank
Point Type	Diamond point
Compatibility	Compatible with standard 18-gauge brad nailers
Pack Quantity	1000 Nails per Pack
Strip Type	Collated nail strip
Rust Resistance	Suitable for indoor and outdoor applications
Durability	Industrial-grade construction
Applications	Furniture assembly, Carpentry work, Cabinet installation, Interior finishing, Door and window installation
Compliance	Suitable for professional and industrial use


Sample Photo



Item 28: Stainless Steel Corner Brace – L Bracket (20 Pieces Pack)
Quantity: 10 Pack

Specification	Description / Features
Brand	Aufuga (or equivalent)
Product Type	Corner Brace / L Bracket
Material	Stainless Steel
Finish	Black coated / Corrosion-resistant finish
Bracket Type	90° Angle Corner Bracket
Size	1" x 1" x 0.6" (approx. 25 mm x 25 mm x 15 mm)
Thickness	Minimum 1.5 mm (or manufacturer standard)
Mounting Holes	Pre-drilled mounting holes
Hole Quantity	Minimum 2 holes per side
Hole Type	Countersunk screw holes
Load Strength	Suitable for structural reinforcement
Pack Quantity	20 Pieces per Pack
Edge Finish	Smooth rounded edges
Corrosion Resistance	Suitable for indoor and outdoor use
Durability	Heavy-duty industrial-grade construction
Applications	Furniture reinforcement, Cabinet installation, Wooden frame fixing, Shelf support, Door and window frame reinforcement
Installation	Screw fixing installation
Compliance	Suitable for professional and industrial use

Sample Photo



Minimum requirements

Item 01: Cordless Screwdriver

Quantity: 2

Specification	Description / Features
Torque (soft/hard/max.)	-/5/- Nm
No-load speed (1st gear / 2nd gear)	0 – 360 rpm
Battery voltage	3.6 V
Battery type	Lithium-Ion
Chuck capacity, min./max.	6.35 mm
Clutch torque	0.2 - 5 Nm
Max. screw diameter	5 mm
Sound power level	80 dB(A)
Sound pressure level	70 B(A)



Item 02: Battery Tester

Quantity: 1

Specification	Description / Features
Testing Range	C, AA, AAA, D, N, 9V (6F22), and 1.55V button battery
Working Temperature	0°C ~ 40°C
Portable	Yes
Can Test	C, AA, AAA, D, N, 9V 6F22, and 1.5V button cell batteries



Item 03: Micro Cleaning Tools Computer Vacuum/Blower Duster**Quantity: 1**

Specification	Description / Features
Construction	All Steel
Speed	Single Speed
Motor	.75 Peak HP Single Fan Motor 220V
Amps	4.0
Watts	480
CFM	51
Cord	12 Ft. 2 Conductor
Unit Size	4" x 5.5" x 16"
Unit Weight	1.3 Kgs
ESD Safe	No
Accessories	20" Flexible Hose, Crevice Tool, Air "Pin Pointer", Dust Brush, Shoulder Strap, Five Extra Disposable Bags, plus 4 Pc. Micro Cleaning Tool Kit.



Item 04: CCTV Tester**Quantity:** 1**Warranty:** Minimum 06 months

Specification	Description / Features
CPU/RAM/ROM	4-core 2.0GHz/2GB(LPDDR4)/16GB(EMMC)
Operating System	Android 11.0/+
Display	8-inch IPS touch screen, 2048*1536 resolution, Backlit buttons
IP Camera Test Max 8K 32MP	IP Discovery/ONVIF/IPC test /RTSP play /Client APK Rapid Video, Auto view the video, create testing report Hik test tool, pressing just one key to activate hikvision camera, Image test, can modify the username, password and IP parameters Dahua test tool, Dahua camera test, modify the username, password and IP parameters
IP& CVBS Test	IP& CVBS test at the same time, converter test from analog to digital with dual test window
Coaxial HD Test	8MP TVI camera test, 3840 x 2160P 15FPS, UTC control/call OSD menu, Support coaxial audio 8MP CVI camera test, 3840 x 2160P 12.5F/15F,UTC control/call OSD menu 8MP AHD camera test, 3840 x 2160P 15FPS, UTC control/call OSD menu 8MP EX-SDI, HD-SDI, 3G-SDI camera test, UTC control & call OSD menu
HDMI Input	1 channel HDMI input, support 4K 3840x2160P 30fps
HDMI Output	1 channel HDMI output, support 4K 3840x2160P 60fps
Zoom Image	4x zoom, to enlarge image, screen snapshot, record, save, view and record and play back
Power Supply	DC12V/2A
Wi-Fi	Built in WIFI, 2.4GHz and 5GHz, speeds:433Mbps
Network interface	RJ45 Dual Gigabit Ethernet ports, 10/100/1000Mbps adaptive
Network test	Trace route, Link monitor, DHCP server, port flashing, Ping test
Audio test	1 channel audio signal input, test whether sound normal, 1 channel audio signal, to connect headphone
Rechargeable	After charging 3 to 4 hours, normal working time 15 hours
Auto off	1 to 30(mins)
Dimension/Weight	Tester: 260x183x43mm(10.23x7.2x1.69inch) / 1200g(2.65lbs) Package: 350x300x100mm(13.78x11.81x3.94) / 2740g(6.04lbs)



Item 05: RJ45 Crimping Tool

Quantity: 2

Specification	Description / Features
Pass Through Type	RJ45 Crimp Tool Pass Through CAT5 CAT5E CAT6 Crimper Cutter Stripper for RJ45 RJ12 RJ11 8P 6P End Pass Through connector

**Item 06: Shear Cutter**

Quantity: 2

Specification	Description / Features
Shear Cutter	Multi-Purpose shear cutter (with safety lock)

**Item 07: Wire Stripper**

Quantity: 4

Specification	Description / Features
Wire Stripper	Wire Stripper Tool



Item 08: Networking Probe Kit

Quantity: 2

Warranty: Minimum 03 months

Specification	Description / Features
Networking Probe Kit	Network toner and Probe kit Wire tracking RJ11 > 3000m; RJ45 > 100m, Low battery indication, 1050mAh rechargeable lithium battery.



Item 09: Krone Impact Terminal Tool with Lock (Keystone Punch down)

Quantity: 1

Specification	Description / Features
Krone Impact Terminal Tool with Lock (Keystone Punch down)	Krone Impact Terminal Tool with Lock (Keystone Punch down).



Item 10: Multimeter**Quantity:** 1

Specification	Description / Features
Multimeter	continuity with beeper, diode test, data hold, auto power off, low battery indication, overload indication, backlight, transistor tester. 600V.

Item 11: Screwdriver set & Spudger pry tool**Quantity:** 2

Specification	Description / Features
Screwdriver set & Spudger pry tool set.	Multi-functional manual screwdriver set, computer, mobile phone, digital disassembly and maintenance screwdriver tool combination with spudger pry tool set.

Item 12: Heavy duty craft knife (Cutter Knife)**Quantity:** 4

Specification	Description / Features
Heavy duty craft knife	Heavy duty craft knife with extra blades

Item 13: Tool bag**Quantity:** 4

Specification	Description / Features
Tool Bag	Too bag, Tear and worn resistant, Quality fabric, multiple pockets with various dimensions, easy to carry

Item 14: Soldering wire**Quantity:** 4

Specification	Description / Features
Soldering Wire	Flux cored solder wire

Item 15: Combination plier**Quantity:** 1

Specification	Description / Features
Combination Plier	Combination plier

Item 16: Long nose plier**Quantity:** 4

Specification	Description / Features
Long nose plier	Pliers Head Shape Serrated

Item 17: Wireless mini screwdriver set**Quantity:** 1

Specification	Description / Features
Mini Electric Screwdriver Set	Small Electric Precision Screwdriver with 5 Torque Levels, Max 0.75N.m, 500mAh Battery, 50-in-1 Cordless Power Screwdriver Kit for Laptop, Phone & Electronics Repair