



۵۴

نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ
 نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ
 نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ نَدُّنْزُورِ

Supply of IT tools and CCTV related items

PC-266/2025/G-20
(IUL)266-PR/266/2025/291
07 2025
1

07 ستمبر 2025

نَعْنَعْرُوْهُ فَيُجِيبُ سَمْعًا
نَعْنَعْرُوْهُ فَيُجِيبُ سَمْعًا

1

1

1	1
1.1	1.1
8.1	8.1
9.2	9.2
9.2	9.2
13.1	13.1
17.1	17.1
19.1	19.1
22.1	22.1
30.1	30.1
32.1	32.1

سورة صافات - 2 -

(۱) رِسْرِد و دَبَرَدَم

- [illegible]

(A) 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1.3 7.1.4 7.1.5 7.1.6

7.1.4 7.1.5 7.1.6

7.1.5 7.1.6

7.1.6

8.1 8.2 9.1 9.2 9.3 10.1 10.2

8.1 8.2 9.1 9.2 9.3 10.1 10.2

8.2 9.1 9.2 9.3 10.1 10.2

9.1 9.2 9.3 10.1 10.2

9.1 9.2 9.3 10.1 10.2

9.2 9.3 10.1 10.2

9.3 10.1 10.2

10.1 10.2

10.2

10.1 10.2

10.1 10.2

10.2

10.1 10.2

10.2

10.1 10.2

(سر) مَکَرُورٌ مُرْتَدٌّ

[illegible]

12. $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$. 12.1. $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$.

مقدمہ

13. رَیْ زُفَرُغَزِی
13.1. هَوَدِرْ قَوِ یَهْوَنَرْ رَیْ زُرْزُیْسَجْ زَسْرَدْ اِنَاِسَرْ هَوَسَرْ مَصُوَحْ کَرَ

۱- ۲ - ۳ - ۴ - ۵ - ۶ - ۷ - ۸ - ۹ - ۱۰ - ۱۱ - ۱۲ - ۱۳ - ۱۴ - ۱۵ - ۱۶ - ۱۷ - ۱۸ - ۱۹ - ۲۰ - ۲۱ - ۲۲ - ۲۳ - ۲۴ - ۲۵ - ۲۶ - ۲۷ - ۲۸ - ۲۹ - ۳۰ - ۳۱ - ۳۲ - ۳۳ - ۳۴ - ۳۵ - ۳۶ - ۳۷ - ۳۸ - ۳۹ - ۴۰ - ۴۱ - ۴۲ - ۴۳ - ۴۴ - ۴۵ - ۴۶ - ۴۷ - ۴۸ - ۴۹ - ۵۰ - ۵۱ - ۵۲ - ۵۳ - ۵۴ - ۵۵ - ۵۶ - ۵۷ - ۵۸ - ۵۹ - ۶۰ - ۶۱ - ۶۲ - ۶۳ - ۶۴ - ۶۵ - ۶۶ - ۶۷ - ۶۸ - ۶۹ - ۷۰ - ۷۱ - ۷۲ - ۷۳ - ۷۴ - ۷۵ - ۷۶ - ۷۷ - ۷۸ - ۷۹ - ۸۰ - ۸۱ - ۸۲ - ۸۳ - ۸۴ - ۸۵ - ۸۶ - ۸۷ - ۸۸ - ۸۹ - ۹۰ - ۹۱ - ۹۲ - ۹۳ - ۹۴ - ۹۵ - ۹۶ - ۹۷ - ۹۸ - ۹۹ - ۱۰۰ - ۱۰۱ - ۱۰۲ - ۱۰۳ - ۱۰۴ - ۱۰۵ - ۱۰۶ - ۱۰۷ - ۱۰۸ - ۱۰۹ - ۱۱۰ - ۱۱۱ - ۱۱۲ - ۱۱۳ - ۱۱۴ - ۱۱۵ - ۱۱۶ - ۱۱۷ - ۱۱۸ - ۱۱۹ - ۱۲۰ - ۱۲۱ - ۱۲۲ - ۱۲۳ - ۱۲۴ - ۱۲۵ - ۱۲۶ - ۱۲۷ - ۱۲۸ - ۱۲۹ - ۱۳۰ - ۱۳۱ - ۱۳۲ - ۱۳۳ - ۱۳۴ - ۱۳۵ - ۱۳۶ - ۱۳۷ - ۱۳۸ - ۱۳۹ - ۱۴۰ - ۱۴۱ - ۱۴۲ - ۱۴۳ - ۱۴۴ - ۱۴۵ - ۱۴۶ - ۱۴۷ - ۱۴۸ - ۱۴۹ - ۱۵۰ - ۱۵۱ - ۱۵۲ - ۱۵۳ - ۱۵۴ - ۱۵۵ - ۱۵۶ - ۱۵۷ - ۱۵۸ - ۱۵۹ - ۱۶۰ - ۱۶۱ - ۱۶۲ - ۱۶۳ - ۱۶۴ - ۱۶۵ - ۱۶۶ - ۱۶۷ - ۱۶۸ - ۱۶۹ - ۱۷۰ - ۱۷۱ - ۱۷۲ - ۱۷۳ - ۱۷۴ - ۱۷۵ - ۱۷۶ - ۱۷۷ - ۱۷۸ - ۱۷۹ - ۱۸۰ - ۱۸۱ - ۱۸۲ - ۱۸۳ - ۱۸۴ - ۱۸۵ - ۱۸۶ - ۱۸۷ - ۱۸۸ - ۱۸۹ - ۱۹۰ - ۱۹۱ - ۱۹۲ - ۱۹۳ - ۱۹۴ - ۱۹۵ - ۱۹۶ - ۱۹۷ - ۱۹۸ - ۱۹۹ - ۲۰۰ - ۲۰۱ - ۲۰۲ - ۲۰۳ - ۲۰۴ - ۲۰۵ - ۲۰۶ - ۲۰۷ - ۲۰۸ - ۲۰۹ - ۲۱۰ - ۲۱۱ - ۲۱۲ - ۲۱۳ - ۲۱۴ - ۲۱۵ - ۲۱۶ - ۲۱۷ - ۲۱۸ - ۲۱۹ - ۲۲۰ - ۲۲۱ - ۲۲۲ - ۲۲۳ - ۲۲۴ - ۲۲۵ - ۲۲۶ - ۲۲۷ - ۲۲۸ - ۲۲۹ - ۲۳۰ - ۲۳۱ - ۲۳۲ - ۲۳۳ - ۲۳۴ - ۲۳۵ - ۲۳۶ - ۲۳۷ - ۲۳۸ - ۲۳۹ - ۲۴۰ - ۲۴۱ - ۲۴۲ - ۲۴۳ - ۲۴۴ - ۲۴۵ - ۲۴۶ - ۲۴۷ - ۲۴۸ - ۲۴۹ - ۲۵۰ - ۲۵۱ - ۲۵۲ - ۲۵۳ - ۲۵۴ - ۲۵۵ - ۲۵۶ - ۲۵۷ - ۲۵۸ - ۲۵۹ - ۲۶۰ - ۲۶۱ - ۲۶۲ - ۲۶۳ - ۲۶۴ - ۲۶۵ - ۲۶۶ - ۲۶۷ - ۲۶۸ - ۲۶۹ - ۲۷۰ - ۲۷۱ - ۲۷۲ - ۲۷۳ - ۲۷۴ - ۲۷۵ - ۲۷۶ - ۲۷۷ - ۲۷۸ - ۲۷۹ - ۲۸۰ - ۲۸۱ - ۲۸۲ - ۲۸۳ - ۲۸۴ - ۲۸۵ - ۲۸۶ - ۲۸۷ - ۲۸۸ - ۲۸۹ - ۲۹۰ - ۲۹۱ - ۲۹۲ - ۲۹۳ - ۲۹۴ - ۲۹۵ - ۲۹۶ - ۲۹۷ - ۲۹۸ - ۲۹۹ - ۳۰۰ - ۳۰۱ - ۳۰۲ - ۳۰۳ - ۳۰۴ - ۳۰۵ - ۳۰۶ - ۳۰۷ - ۳۰۸ - ۳۰۹ - ۳۱۰ - ۳۱۱ - ۳۱۲ - ۳۱۳ - ۳۱۴ - ۳۱۵ - ۳۱۶ - ۳۱۷ - ۳۱۸ - ۳۱۹ - ۳۲۰ - ۳۲۱ - ۳۲۲ - ۳۲۳ - ۳۲۴ - ۳۲۵ - ۳۲۶ - ۳۲۷ - ۳۲۸ - ۳۲۹ - ۳۳۰ - ۳۳۱ - ۳۳۲ - ۳۳۳ - ۳۳۴ - ۳۳۵ - ۳۳۶ - ۳۳۷ - ۳۳۸ - ۳۳۹ - ۳۴۰ - ۳۴۱ - ۳۴۲ - ۳۴۳ - ۳۴۴ - ۳۴۵ - ۳۴۶ - ۳۴۷ - ۳۴۸ - ۳۴۹ - ۳۵۰ - ۳۵۱ - ۳۵۲ - ۳۵۳ - ۳۵۴ - ۳۵۵ - ۳۵۶ - ۳۵۷ - ۳۵۸ - ۳۵۹ - ۳۶۰ - ۳۶۱ - ۳۶۲ - ۳۶۳ - ۳۶۴ - ۳۶۵ - ۳۶۶ - ۳۶۷ - ۳۶۸ - ۳۶۹ - ۳۷۰ - ۳۷۱ - ۳۷۲ - ۳۷۳ - ۳۷۴ - ۳۷۵ - ۳۷۶ - ۳۷۷ - ۳۷۸ - ۳۷۹ - ۳۸۰ - ۳۸۱ - ۳۸۲ - ۳۸۳ - ۳۸۴ - ۳۸۵ - ۳۸۶ - ۳۸۷ - ۳۸۸ - ۳۸۹ - ۳۹۰ - ۳۹۱ - ۳۹۲ - ۳۹۳ - ۳۹۴ - ۳۹۵ - ۳۹۶ - ۳۹۷ - ۳۹۸ - ۳۹۹ - ۴۰۰ - ۴۰۱ - ۴۰۲ - ۴۰۳ - ۴۰۴ - ۴۰۵ - ۴۰۶ - ۴۰۷ - ۴۰۸ - ۴۰۹ - ۴۱۰ - ۴۱۱ - ۴۱۲ - ۴۱۳ - ۴۱۴ - ۴۱۵ - ۴۱۶ - ۴۱۷ - ۴۱۸ - ۴۱۹ - ۴۲۰ - ۴۲۱ - ۴۲۲ - ۴۲۳ - ۴۲۴ - ۴۲۵ - ۴۲۶ - ۴۲۷ - ۴۲۸ - ۴۲۹ - ۴۳۰ - ۴۳۱ - ۴۳۲ - ۴۳۳ - ۴۳۴ - ۴۳۵ - ۴۳۶ - ۴۳۷ - ۴۳۸ - ۴۳۹ - ۴۴۰ - ۴۴۱ - ۴۴۲ - ۴۴۳ - ۴۴۴ - ۴۴۵ - ۴۴۶ - ۴۴۷ - ۴۴۸ - ۴۴۹ - ۴۵۰ - ۴۵۱ - ۴۵۲ - ۴۵۳ - ۴۵۴ - ۴۵۵ - ۴۵۶ - ۴۵۷ - ۴۵۸ - ۴۵۹ - ۴۶۰ - ۴۶۱ - ۴۶۲ - ۴۶۳ - ۴۶۴ - ۴۶۵ - ۴۶۶ - ۴۶۷ - ۴۶۸ - ۴۶۹ - ۴۷۰ - ۴۷۱ - ۴۷۲ - ۴۷۳ - ۴۷۴ - ۴۷۵ - ۴۷۶ - ۴۷۷ - ۴۷۸ - ۴۷۹ - ۴۸۰ - ۴۸۱ - ۴۸۲ - ۴۸۳ - ۴۸۴ - ۴۸۵ - ۴۸۶ - ۴۸۷ - ۴۸۸ - ۴۸۹ - ۴۹۰ - ۴۹۱ - ۴۹۲ - ۴۹۳ - ۴۹۴ - ۴۹۵ - ۴۹۶ - ۴۹۷ - ۴۹۸ - ۴۹۹ - ۵۰۰ - ۵۰۱ - ۵۰۲ - ۵۰۳ - ۵۰۴ - ۵۰۵ - ۵۰۶ - ۵۰۷ - ۵۰۸ - ۵۰۹ - ۵۱۰ - ۵۱۱ - ۵۱۲ - ۵۱۳ - ۵۱۴ - ۵۱۵ - ۵۱۶ - ۵۱۷ - ۵۱۸ - ۵۱۹ - ۵۲۰ - ۵۲۱ - ۵۲۲ - ۵۲۳ - ۵۲۴ - ۵۲۵ - ۵۲۶ - ۵۲۷ - ۵۲۸ - ۵۲۹ - ۵۳۰ - ۵۳۱ - ۵۳۲ - ۵۳۳ - ۵۳۴ - ۵۳۵ - ۵۳۶ - ۵۳۷ - ۵۳۸ - ۵

90 14. ۱۴.۱

ترواری ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

15. **مَوَدَّ دَرْدَنَ زَنَرَوَسَرَجَّ** 15.1. **مَوَدَّ دَرْدَنَ زَنَرَوَسَرَجَّ** مَوَدَّ سَمَوَر سَمَوَر 4 **مَوَدَّ دَرْدَنَ زَنَرَوَسَرَجَّ** 1 **مَوَدَّ دَرْدَنَ زَنَرَوَسَرَجَّ**

۱. $\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2}$

[illegible]

16. $\frac{1}{x^2} = x^{-2}$. Then $\frac{d}{dx} \left(\frac{1}{x^2} \right) = -2x^{-3} = -\frac{2}{x^3}$.

سری سرف سرف سرف

16.2. $\frac{1}{x} = x^{-1}$, $\frac{d}{dx} x^{-1} = -x^{-2} = -\frac{1}{x^2}$.

16.3. سَوَّجَ اِسْمَہُیْ اِسْمَہُیْ کَرَمَہُیْ دَمِیْ اِسْمَہُیْ ہَوَسَہُیْ اِسْمَہُیْ کَرَمَہُیْ سَرَدِیْ

۱۰۴۸۳۵۶۷۸۹۱۰۱۱۲۱۳۱۴۱۵۱۶۱۷۱۸۱۹۲۰

16.4. زَبَرَزَدَ زَبَرَزْدًا زَبَرَزْدَةً زَبَرَزْدَانًا زَبَرَزْدَانَةً زَبَرَزْدَانِيَّةً

[illegible][illegible]

وَمِنْهُمْ مَّنْ يَّهْدِي اللَّهُ سَبِيلَهُ وَمِنْهُمْ مَّنْ يَّضَلُّ اللَّهُ سَبِيلَهُ ۚ وَمَا يَضِلُّ إِلَّا السَّيِّئِينَ ۖ

17.2. جِ دَرِ قَرْدِ 18.1 زَرِ هَرَسَرِ نَخِرِوَزِرِو مَرِزِرِ سَرِزِرِاَرِ هَسَرِ قَرِوَزِرِو

[illegible]

17.3. $\text{H}_2\text{O} + \text{H}_2\text{O} \rightleftharpoons \text{H}_3\text{O}^+ + \text{OH}^-$

- بَعْرُورٌ: 44 ؤ 7

[illegible][illegible][illegible][illegible]

24.2. قەرزىۋەت ۋە پەسلىنىش نەپەسلىنىش 2,500,000 (مىللىيارد رۇبىل)
 نەپەسلىنىش نەپەسلىنىش ۋە پەسلىنىش نەپەسلىنىش
 نەپەسلىنىش ۋە پەسلىنىش.

[illegible]

[illegible][illegible]

(س) د رڼا نندارې (ر) ، (س) رڼه (س) زړه وکتونکي سرچونو شتون لري
چې دا د پرمختللي، زړه کوي، د پرمختلونکو نندارو سرچونو سرچونو سرچونو سرچونو
سرچونو سرچونو سرچونو سرچونو سرچونو.

[illegible][illegible]

(ر) مَعْمُورٌ بِمَاءٍ يَنْبَغِي لَهَا قَوْلُهُمْ
يَنْبَغِي لَهَا قَوْلُهُمْ

[illegible][illegible]

2. چۆندىكى ئادەتتىكى تۈرلەر ئارىسىدا بولسا، بۇ يەردە بىزنىڭ قىزغىنلىقىمىز،
چۆشكۈن ئادەتتىكى تۈرلەر ئارىسىدا بولسا، بۇ يەردە بىزنىڭ قىزغىنلىقىمىز،
بۇ يەردە بىزنىڭ قىزغىنلىقىمىز؛ شۇنداق

[illegible][illegible][illegible]

(م) وَبِالْحَمْدِ لِلَّهِ رَبِّ الْعَالَمِينَ

[illegible][illegible][illegible][illegible]

- [illegible]

- [illegible]

33. دَهِسَمَو زُرَزُوْدَر

دَرسِ سَوَاحِشِ عِلْمِ

[illegible][illegible][illegible][illegible]

(۱) $\frac{1}{x^2} = x^{-2}$ $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$

(1) $\begin{matrix} \text{مختار دسریج} & \text{ایسے مختار} & \text{دس سو تار} & \text{نہاں گھو} & \text{مختار} & \text{مختار} \\ \text{مختار دسریج} & \text{مختار دسریج} & \text{مختار دسریج} & \text{مختار دسریج} & \text{مختار دسریج} & \text{مختار دسریج} \end{matrix}$

(2) $\begin{matrix} \text{مَرْتَبَاتُ الدُّنْيَا} & \text{أَرْبَعُ سَعْدٍ} & \text{دَرْسُكَ} & \text{سِرِّدُ} & \text{يَكُونُ} & \text{دَرْسُكَ} \\ \text{دَرْسُكَ} & \text{مَرْتَبَاتُ الدُّنْيَا} & \text{أَرْبَعُ سَعْدٍ} & \text{دَرْسُكَ} & \text{سِرِّدُ} & \text{يَكُونُ} \end{matrix}$

[illegible]

(۴) $\frac{1}{x^2} = x^{-2}$ $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$
 $\frac{d}{dx} \frac{1}{x^2} = -\frac{2}{x^3}$
 $\frac{d}{dx} \frac{1}{x^3} = -\frac{3}{x^4}$
 $\frac{d}{dx} \frac{1}{x^4} = -\frac{4}{x^5}$
 $\frac{d}{dx} \frac{1}{x^5} = -\frac{5}{x^6}$
 $\frac{d}{dx} \frac{1}{x^6} = -\frac{6}{x^7}$

[illegible][illegible][illegible]
$$(1) \quad \begin{aligned} & \text{اَدْرَسُوْا اِيْزِيْزُ} \quad \text{اَسْرَدُ} \quad \text{اَوَسُوْا} \quad \text{اُتْرَسُوْا} \quad \text{اَدْرَسُوْا} \\ & \text{اَسْرَدُ} \quad \text{اَوَسُوْا} \quad \text{اُتْرَسُوْا} \quad \text{اَدْرَسُوْا} \end{aligned}$$

(2) اَدْرِيسُوَرِي رَسْرَاي، سَوَمَرِي هَسَرْتَرِي 14 (سَوَر) قِرَقَزِي
مُوَيَرِي اِ دَرِيْسُوَرِي مِسَرِدَرِي، دَرِيْسُوَرِي مِسَرِدَرِي يَحْيٰ، دَرِيْسُوَرِي
رَسْرَاي حَكْمَكَمَرِي مَوْدَرِي اَدْرِيسُوَرِي.

[illegible]

[illegible]
$$\begin{array}{c} \text{O} \quad \text{O} \quad \text{O} \quad \text{O} \quad \text{O} \quad \text{O} \\ \text{C} \quad \text{C} \quad \text{C} \quad \text{C} \quad \text{C} \quad \text{C} \\ \text{H} \quad \text{H} \quad \text{H} \quad \text{H} \quad \text{H} \quad \text{H} \end{array} \quad (4)$$
$$(5) \quad \frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$$

(6) $\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

(7) $\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

[illegible]

(1)
$$\begin{aligned} & \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 x}{dt^2} \right) + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 y}{dt^2} \right) + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 z}{dt^2} \right) \\ & + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \theta}{dt^2} \right) + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \phi}{dt^2} \right) + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \psi}{dt^2} \right) \\ & + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \chi}{dt^2} \right) + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \eta}{dt^2} \right) + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \xi}{dt^2} \right) \\ & + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \zeta}{dt^2} \right) + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \delta}{dt^2} \right) + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \gamma}{dt^2} \right) \\ & + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \beta}{dt^2} \right) + \frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 \alpha}{dt^2} \right) \end{aligned}$$

(2) $\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

[illegible][illegible]

(5) $\begin{matrix} \text{فوتوٲوٲر} & \text{هٲوٲوٲوٲر} & \text{تٲوٲوٲوٲر} & \text{ٲوٲوٲوٲر} & \text{ٲوٲوٲوٲر} \\ \text{سٲوٲوٲر} & \text{سٲوٲوٲر} & \text{سٲوٲوٲر} & \text{سٲوٲوٲر} & \text{سٲوٲوٲر} \end{matrix}$

(6)

[illegible][illegible][illegible]

(10) $\begin{matrix} \text{س} & \text{و} & \text{ع} & \text{ن} & \text{ج} & \text{م} & \text{ل} & \text{ع} & \text{و} & \text{س} \\ \text{س} & \text{و} & \text{ع} & \text{ن} & \text{ج} & \text{م} & \text{ل} & \text{ع} & \text{و} & \text{س} \end{matrix}$ $\begin{matrix} \text{س} & \text{و} & \text{ع} & \text{ن} & \text{ج} & \text{م} & \text{ل} & \text{ع} & \text{و} & \text{س} \\ \text{س} & \text{و} & \text{ع} & \text{ن} & \text{ج} & \text{م} & \text{ل} & \text{ع} & \text{و} & \text{س} \end{matrix}$ $\begin{matrix} \text{س} & \text{و} & \text{ع} & \text{ن} & \text{ج} & \text{م} & \text{ل} & \text{ع} & \text{و} & \text{س} \\ \text{س} & \text{و} & \text{ع} & \text{ن} & \text{ج} & \text{م} & \text{ل} & \text{ع} & \text{و} & \text{س} \end{matrix}$ $\begin{matrix} \text{س} & \text{و} & \text{ع} & \text{ن} & \text{ج} & \text{م} & \text{ل} & \text{ع} & \text{و} & \text{س} \\ \text{س} & \text{و} & \text{ع} & \text{ن} & \text{ج} & \text{م} & \text{ل} & \text{ع} & \text{و} & \text{س} \end{matrix}$

[illegible]
$$(12) \quad \begin{array}{ccccccc} \frac{1}{2} & \frac{1}{3} & \frac{1}{4} & \frac{1}{5} & \frac{1}{6} & \frac{1}{7} & \frac{1}{8} \\ \frac{1}{2} & \frac{1}{3} & \frac{1}{4} & \frac{1}{5} & \frac{1}{6} & \frac{1}{7} & \frac{1}{8} \end{array}$$

(13) $\frac{1}{\sqrt{2}} \begin{pmatrix} 1 & i \\ -1 & i \end{pmatrix}$

(14) $\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

10:28 $\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

[illegible][illegible]

(س) جَدِّیْ تَرِیْ (س) یَہُ عَمَّیْ سَلَامَتِیْ قَدَّرَ نَاوِیْ سَوَّحُوْیْ سِرِّ، حَقَّقِیْ

١٠٠ ٩٩ ٩٨ ٩٧ ٩٦ ٩٥ ٩٤ ٩٣ ٩٢ ٩١ ٩٠ ٨٩ ٨٨ ٨٧ ٨٦ ٨٥ ٨٤ ٨٣ ٨٢ ٨١ ٨٠

٧٢٠ ٧٢١ ٧٢٢ ٧٢٣ ٧٢٤ ٧٢٥ ٧٢٦ ٧٢٧ ٧٢٨ ٧٢٩ ٧٣٠ ٧٣١ ٧٣٢ ٧٣٣ ٧٣٤ ٧٣٥ ٧٣٦ ٧٣٧ ٧٣٨ ٧٣٩ ٧٤٠ ٧٤١ ٧٤٢ ٧٤٣ ٧٤٤ ٧٤٥ ٧٤٦ ٧٤٧ ٧٤٨ ٧٤٩ ٧٥٠ ٧٥١ ٧٥٢ ٧٥٣ ٧٥٤ ٧٥٥ ٧٥٦ ٧٥٧ ٧٥٨ ٧٥٩ ٧٦٠ ٧٦١ ٧٦٢ ٧٦٣ ٧٦٤ ٧٦٥ ٧٦٦ ٧٦٧ ٧٦٨ ٧٦٩ ٧٧٠ ٧٧١ ٧٧٢ ٧٧٣ ٧٧٤ ٧٧٥ ٧٧٦ ٧٧٧ ٧٧٨ ٧٧٩ ٧٨٠ ٧٨١ ٧٨٢ ٧٨٣ ٧٨٤ ٧٨٥ ٧٨٦ ٧٨٧ ٧٨٨ ٧٨٩ ٧٩٠ ٧٩١ ٧٩٢ ٧٩٣ ٧٩٤ ٧٩٥ ٧٩٦ ٧٩٧ ٧٩٨ ٧٩٩ ٨٠٠ ٨٠١ ٨٠٢ ٨٠٣ ٨٠٤ ٨٠٥ ٨٠٦ ٨٠٧ ٨٠٨ ٨٠٩ ٨١٠ ٨١١ ٨١٢ ٨١٣ ٨١٤ ٨١٥ ٨١٦ ٨١٧ ٨١٨ ٨١٩ ٨٢٠ ٨٢١ ٨٢٢ ٨٢٣ ٨٢٤ ٨٢٥ ٨٢٦ ٨٢٧ ٨٢٨ ٨٢٩ ٨٣٠ ٨٣١ ٨٣٢ ٨٣٣ ٨٣٤ ٨٣٥ ٨٣٦ ٨٣٧ ٨٣٨ ٨٣٩ ٨٤٠ ٨٤١ ٨٤٢ ٨٤٣ ٨٤٤ ٨٤٥ ٨٤٦ ٨٤٧ ٨٤٨ ٨٤٩ ٨٥٠ ٨٥١ ٨٥٢ ٨٥٣ ٨٥٤ ٨٥٥ ٨٥٦ ٨٥٧ ٨٥٨ ٨٥٩ ٨٦٠ ٨٦١ ٨٦٢ ٨٦٣ ٨٦٤ ٨٦٥ ٨٦٦ ٨٦٧ ٨٦٨ ٨٦٩ ٨٧٠ ٨٧١ ٨٧٢ ٨٧٣ ٨٧٤ ٨٧٥ ٨٧٦ ٨٧٧ ٨٧٨ ٨٧٩ ٨٨٠ ٨٨١ ٨٨٢ ٨٨٣ ٨٨٤ ٨٨٥ ٨٨٦ ٨٨٧ ٨٨٨ ٨٨٩ ٨٩٠ ٨٩١ ٨٩٢ ٨٩٣ ٨٩٤ ٨٩٥ ٨٩٦ ٨٩٧ ٨٩٨ ٨٩٩ ٩٠٠ ٩٠١ ٩٠٢ ٩٠٣ ٩٠٤ ٩٠٥ ٩٠٦ ٩٠٧ ٩٠٨ ٩٠٩ ٩١٠ ٩١١ ٩١٢ ٩١٣ ٩١٤ ٩١٥ ٩١٦ ٩١٧ ٩١٨ ٩١٩ ٩٢٠ ٩٢١ ٩٢٢ ٩٢٣ ٩٢٤ ٩٢٥ ٩٢٦ ٩٢٧ ٩٢٨ ٩٢٩ ٩٣٠ ٩٣١ ٩٣٢ ٩٣٣ ٩٣٤ ٩٣٥ ٩٣٦ ٩٣٧ ٩٣٨ ٩٣٩ ٩٤٠ ٩٤١ ٩٤٢ ٩٤٣ ٩٤٤ ٩٤٥ ٩٤٦ ٩٤٧ ٩٤٨ ٩٤٩ ٩٥٠ ٩٥١ ٩٥٢ ٩٥٣ ٩٥٤ ٩٥٥ ٩٥٦ ٩٥٧ ٩٥٨ ٩٥٩ ٩٦٠ ٩٦١ ٩٦٢ ٩٦٣ ٩٦٤ ٩٦٥ ٩٦٦ ٩٦٧ ٩٦٨ ٩٦٩ ٩٧٠ ٩٧١ ٩٧٢ ٩٧٣ ٩٧٤ ٩٧٥ ٩٧٦ ٩٧٧ ٩٧٨ ٩٧٩ ٩٨٠ ٩٨١ ٩٨٢ ٩٨٣ ٩٨٤ ٩٨٥ ٩٨٦ ٩٨٧ ٩٨٨ ٩٨٩ ٩٩٠ ٩٩١ ٩٩٢ ٩٩٣ ٩٩٤ ٩٩٥ ٩٩٦ ٩٩٧ ٩٩٨ ٩٩٩ ١٠٠٠ ١٠٠١ ١٠٠٢ ١٠٠٣ ١٠٠٤ ١٠٠٥ ١٠٠٦ ١٠٠٧ ١٠٠٨ ١٠٠٩ ١٠١٠ ١٠١١ ١٠١٢ ١٠١٣ ١٠١٤ ١٠١٥ ١٠١٦ ١٠١٧ ١٠١٨ ١٠١٩ ١٠٢٠ ١٠٢١ ١٠٢٢ ١٠٢٣ ١٠٢٤ ١٠٢٥ ١٠٢٦ ١٠٢٧ ١٠٢٨ ١٠٢٩ ١٠٣٠ ١٠٣١ ١٠٣٢ ١٠٣٣ ١٠٣٤ ١٠٣٥ ١٠٣٦ ١٠٣٧ ١٠٣٨ ١٠٣٩ ١٠٤٠ ١٠٤١ ١٠٤٢ ١٠٤٣ ١٠٤٤ ١٠٤٥ ١٠٤٦ ١٠٤٧ ١٠٤٨ ١٠٤٩ ١٠٥٠ ١٠٥١ ١٠٥٢ ١٠٥٣ ١٠٥٤ ١٠٥٥ ١٠٥٦ ١٠٥٧ ١٠٥٨ ١٠٥٩ ١٠٦٠ ١٠٦١ ١٠٦٢ ١٠٦٣ ١٠٦٤ ١٠٦٥ ١٠٦٦ ١٠٦٧ ١٠٦٨ ١٠٦٩ ١٠٧٠ ١٠٧١ ١٠٧٢ ١٠٧٣ ١٠٧٤ ١٠٧٥ ١٠٧٦ ١٠٧٧ ١٠٧٨ ١٠٧٩ ١٠٨٠ ١٠٨١ ١٠٨٢ ١٠٨٣ ١٠٨٤ ١٠٨٥ ١٠٨٦ ١٠٨٧ ١٠٨٨ ١٠٨٩ ١٠٩٠ ١٠٩١ ١٠٩٢ ١٠٩٣ ١٠٩٤ ١٠٩٥ ١٠٩٦ ١٠٩٧ ١٠٩٨ ١٠٩٩ ١١٠٠ ١١٠١ ١١٠٢ ١١٠٣ ١١٠٤ ١١٠٥ ١١٠٦ ١١٠٧ ١١٠٨ ١١٠٩ ١١١٠ ١١١١ ١١١٢ ١١١٣ ١١١٤ ١١١٥ ١١١٦ ١١١٧ ١١١٨ ١١١٩ ١١٢٠ ١١٢١ ١١٢٢ ١١٢٣ ١١٢٤ ١١٢٥ ١١٢٦ ١١٢٧ ١١٢٨ ١١٢٩ ١١٣٠ ١١٣١ ١١٣٢ ١١٣٣ ١١٣٤ ١١٣٥ ١١٣٦ ١١٣٧ ١١٣٨ ١١٣٩ ١١٤٠ ١١٤١ ١١٤٢ ١١٤٣ ١١٤٤ ١١٤٥ ١١٤٦ ١١٤٧ ١١٤٨ ١١٤٩ ١١٥٠ ١١٥١ ١١٥٢ ١١٥٣ ١١٥٤ ١١٥٥ ١١٥٦ ١١٥٧ ١١٥٨ ١١٥٩ ١١٦٠ ١١٦١ ١١٦٢ ١١٦٣ ١١٦٤ ١١٦٥ ١١٦٦ ١١٦٧ ١١٦٨ ١١٦٩ ١١٧٠ ١١٧١ ١١٧٢ ١١٧٣ ١١٧٤ ١١٧٥ ١١٧٦ ١١٧٧ ١١٧٨ ١١٧٩ ١١٨٠ ١١٨١ ١١٨٢ ١١٨٣ ١١٨٤ ١١٨٥ ١١٨٦ ١١٨٧ ١١٨٨ ١١٨٩ ١١٩٠ ١١٩١ ١١٩٢ ١١٩٣ ١١٩٤ ١١٩٥ ١١٩٦ ١١٩٧ ١١٩٨ ١١٩٩ ١٢٠٠ ١٢٠١ ١٢٠٢ ١٢٠٣ ١٢٠٤ ١٢٠٥ ١٢٠٦ ١٢٠٧ ١٢٠٨ ١٢٠٩ ١٢١٠ ١٢١١ ١٢١٢ ١٢١٣ ١٢١٤ ١٢١٥ ١٢١٦ ١٢١٧ ١٢١٨ ١٢١٩ ١٢٢٠ ١٢٢١ ١٢٢٢ ١٢٢٣ ١٢٢٤ ١٢٢٥ ١٢٢٦ ١٢٢٧ ١٢٢٨ ١٢٢٩ ١٢٣٠ ١٢٣١ ١٢٣٢ ١٢٣٣ ١٢٣٤ ١٢٣٥ ١٢٣٦

سَمْعًا بِمَعْنَى السَّمْعِ وَنَحْنُ نَقُولُ بِمَعْنَى السَّمْعِ

[illegible]

٢٥٥٥

3 - 38

38.1 38.2 38.3 38.4 38.5 38.6 38.7

- 38.1 "38.2 38.3 38.4 38.5 38.6 38.7
- 38.2 "38.3 38.4 38.5 38.6 38.7
- 38.3 "38.4 38.5 38.6 38.7
- 38.4 "38.5 38.6 38.7
- 38.5 "38.6 38.7
- 38.6 "38.7
- 38.7 "38.8

38.7 "38.8

39.1 39.2

39.1 39.2

39.2. 40.1. 40.2. 41.1. 41.2. 41.3. 42.1. 42.2.

39.3. 40.1. 40.2. 41.1. 41.2. 41.3. 42.1. 42.2.

40.1. 40.2. 41.1. 41.2. 41.3. 42.1. 42.2.

40.1. 40.2. 41.1. 41.2. 41.3. 42.1. 42.2.

41.1. 41.2. 41.3. 42.1. 42.2.

41.2. 41.3. 42.1. 42.2.

41.3. 42.1. 42.2.

42.1. 42.2.

42.2.

40. 40.1. 40.2.

41. 41.1. 41.2.

42. 42.1. 42.2.

42.3. $2,500,000/-$ ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස, 0.005 (මිලදී ගැනීමේ ප්‍රවේශය) ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස.

$$CP \times 0.005 \times LD = \text{ප්‍රතිපත්තිමය ප්‍රවේශය}$$

CP (මිලදී ගැනීමේ ප්‍රවේශය): ප්‍රතිපත්තිමය ප්‍රවේශය ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස්

LD (මිලදී ගැනීමේ ප්‍රවේශය): ප්‍රතිපත්තිමය ප්‍රවේශය ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස්

43.1. 43 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස, 43.1 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස, 43.1 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස.

43.2. 43.2 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස, 43.2 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස.

43.3. 43.3 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස, 43.3 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස.

43.4. 43.4 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස, 43.4 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස.

44. 44 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස, 44.1 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස, 44.1 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස.

44.2. 44.2 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස, 44.2 ට්‍රේඩ් එක්ස්චේන්ජ් රේට්ස් ආදායම සඳහා වූ ප්‍රතිපත්තිමය ප්‍රවේශයක් ලෙස.

[illegible]

سورۃ النور ۱۱۲ سورۃ النور

[illegible]

تَقْوَاهُ حُرْمَتُهُ رَأْيُهُ حُرْمَتُهُ

٥٠

47. جَرِّمُوا سَفَّوْدَ بَرِّ دُرٍّ رِزْقَتِ تَرْسُوفُوسُ تَرْسُوفُوسُ دُخْرِي رِ قَوْرَا تَرْسُوفُوسُ 47.1

وَقَدْ كَرَّمْنَا شِدْقَهُ اسْمًا كَرِيمًا

سر سِرْدِ سِرْدِو.

[illegible]

نگہ سرسبز

خُذْ زِيَارَتِي وَفِيهَا خَيْرٌ لِّمَا فِي سَائِرِ زِيَارَتِهَا. رَأَيْتُ فِيهَا خَيْرَ سِرٍّ، خَيْرَ رَحْمَةٍ وَخَيْرَ مَخْرُجٍ مِّنْ حَرِّ النَّارِ
وَأَمَّا سَمْعُكَ فَتَرَى فِيهَا سِرَّ سَمْعِكَ سَمْعُكَ سَمْعُكَ.

سورة مؤمنون - 4

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

1 - حَافِظُ

وَمِنْهُمْ مَّنْ يَّهْدِي اللَّهُ سَبِيلَهُ وَمِنْهُمْ ذُرِّيَّةُ أَعْدَائِنَا الَّتِي لَا يَفْقَهُونَ

#	نمبر	پروگرام	نمبر	نمبر
1.	✓	پروگرام نمبر 1: پروگرام نمبر 1 (2)	✓	
2.	✓	پروگرام نمبر 2: پروگرام نمبر 2 (2)	✓	
3.	✓	پروگرام نمبر 3: پروگرام نمبر 3 (2)	✓	
4.	✓	پروگرام نمبر 4: پروگرام نمبر 4 (2)	✓	
5.	✓	پروگرام نمبر 5: پروگرام نمبر 5 (2)	✓	
6.	✓	پروگرام نمبر 6: پروگرام نمبر 6 (2)	✓	
7.	✓	پروگرام نمبر 7: پروگرام نمبر 7 (2)	✓	
8.	✓	پروگرام نمبر 8: پروگرام نمبر 8 (2)	✓	
9.	✓	پروگرام نمبر 9: پروگرام نمبر 9 (2)	✓	
10.	✓	پروگرام نمبر 10: پروگرام نمبر 10 (2)	✓	
11.	✓	پروگرام نمبر 11: پروگرام نمبر 11 (2)	✓	
12.	✓	پروگرام نمبر 12: پروگرام نمبر 12 (2)	✓	
13.	✓	پروگرام نمبر 13: پروگرام نمبر 13 (2)	✓	
14.	✓	پروگرام نمبر 14: پروگرام نمبر 14 (2)	✓	
15.	✓	پروگرام نمبر 15: پروگرام نمبر 15 (2)	✓	
16.	✓	پروگرام نمبر 16: پروگرام نمبر 16 (2)	✓	
17.	✓	پروگرام نمبر 17: پروگرام نمبر 17 (2)	✓	

2 - 2

2

1. 2	
1.1	2
1.2	2
1.3	2
1.4	2
1.5	2
2. 2	
2.1	2
2.2	(IUL)266-PR/266/2025/291
3. 2	
3.1	2
	2
	2
	2
3.2	2
4. 2	
4.1	2
4.2	2
4.3	2
5. 2	
2	2
	2
	2
	2

3 - صحیح مرقوم

تَرْجُمَةُ 5 (تَرْجُمَةُ) اِنْجِيلِ مَتَّى مَسْمُومٍ بِمَسِيحٍ

[illegible]

4 - **بَعْدُ**

١٠٩٨، ١٠٩٩، ١١٠٠، ١١٠١، ١١٠٢، ١١٠٣

تەرجىمە قىلىنغان مەنبە	تەرجىمە قىلىنغان مەنبە	تەرجىمە قىلىنغان مەنبە
90	تەرجىمە قىلىنغان مەنبە	تەرجىمە قىلىنغان مەنبە
10	تەرجىمە قىلىنغان مەنبە	تەرجىمە قىلىنغان مەنبە
100	تەرجىمە قىلىنغان مەنبە	تەرجىمە قىلىنغان مەنبە

ބަދަލު 5 (ދިވެހިސަރުކާރުގެ ބޭނުންކުރާ ބިދު)

Form of Bid Security (Bank Guarantee)

WHEREAS,[name of Bidder] (hereinafter called “the Bidder”) [company registration number] has submitted his Bid for the Project no.....issued by the Secretariat of Kulhudhuffushi City Council onfor construction of[name of Contract] (hereinafter called “the Bid”) under Invitation of bidders No.[Announcement Number]

KNOW ALL PEOPLE by these presents that We [name of Bank] of [name of country] having our registered office at (hereinafter called “the Bank”) are bound unto[name of Purchaser] (hereinafter called “the Purchaser”) in the sum of *..... for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
or
- (2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
 - (c) does not accept the correction of the Bid Price pursuant to Clause 27,

* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 28.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser's having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS SEAL

[signature, name, and address]

5 -

5 -

#	Description	Qty	Rate	Total
1	Item 01: Wireless Keyboard & Mouse Combo	3		
2	Item 02: POE Network Switch	4		
3	Item 03: Laptop Stand	25		
4	Item 04: Cordless Screwdriver	2		
5	Item 05: Battery Tester	1		
6	Item 06: Duster	1		
7	Item 07: CCTV Tester	1		
8	Item 08: RJ45 Crimping Tool	2		
9	Item 09: Pass Through RJ45 Jack 100PCS (Box or Pack)	2		
10	Item 10: Shear Cutter	2		
11	Item 11: Wire Stripper	4		
12	Item 12: Networking Probe Kit	1		
13	Item 13: Krone Impact Terminal Tool with Lock (Keystone Punch down)	1		
14	Item 14: Multimeter	1		
15	Item 15: Screwdriver set & Spudger pry tool	2		
16	Item 16: Heavy duty craft knife (Cutter Knife)	4		
17	Item 17: Tool bag	4		
18	Item 18: Soldering wire	4		
19	Item 19: Combination plier	1		
20	Item 20: Long nose plier	4		
21	Item 21: Wireless mini screwdriver set	1		
22	Item 22: SHURE BRAND Podium microphone with BASE	2		
23	Item 23: Foldable Desktop Microphone Stand	3		
24	Item 24: Portable SSD (2TB) – NVME	4		
25	Item 25: Conference System	1		
26	Item 26: Portable Monitor Mount	7		
27	Item 27: Wireless Mic System	2		
28	Item 28: 2.0 USB PENDRIVE	4		
29	Item 29: Portable Touch monitor	5		
30	Item 30: Camera Side bag 3L	2		
31	Item 31: Windows Tablet	2		
32	Item 32: Wi-Fi 6 APN	4		
33	Item 33: Document Scanner	2		
34	Item 34: Wireless Miracast Device	7		
35	Item 35: Portable Conference Camera Pillar (all in one)	4		

Sub Total
GST8%
Net Total

6 - 6

6

6

6

1. 6

1.1. 6

1.2. 6

1.3. 6

1.4. 6

1.5. 6

1.6. 6

2. كۆمپيۇتېر ئۆزگەرتىش ۋە تەمىناتىنىڭ سۈپىتىنى تەكشۈرۈش

Minimum requirements

Item 01: Wireless Keyboard & Mouse Combo

Quantity: 3

Warranty: Minimum 06 months

Specification	Description / Features
Keyboard	
Size	Full Size
Keyboard Technology	Scissors
Illumination	Backlight Key Illumination
Compatibility	Windows, macOS, Linux
Power	Rechargeable Battery, USB C
Wireless Receiver	USB wireless receiver
Interface	2.4 GHz, Bluetooth 5.1
Features	Quiet typing, Collaboration keys, Programmable keys, Numeric keypad
Mouse	
DPI	800-8000
Buttons	7
Wheels	Middle Scroll
Compatibility	Windows, macOS, Linux
Power	Rechargeable Battery, USB C
Wireless Receiver	USB wireless receiver
Interface	2.4 GHz, Bluetooth 5.1

Item 02: POE Network Switch

Warranty: Minimum 6 Month

Quantity: 4

Specification	Description / Features
Enclosure material	SGCC steel
Networking interface	(12) 10/100/1,000 MbE RJ45 ports (12) 100/1,000/2,500 MbE RJ45 ports
Management interface	Ethernet In-Band
SFP+ interface	(2) 10G SFP+ ports
PoE interface	(24) PoE/PoE+ (Pins 1, 2+; 3, 6-)
Total non-blocking throughput	62 Gbps
Switching capacity	124 Gbps
Forwarding rate	92.25 Mpps
Max. power consumption	550W
Power method	(1) Universal AC input, 100—240V AC, 8.5A Max., 50/60 Hz (1) USP-RPS DC input: 52V DC, 7.7A; 11.5V DC, 8.7A
Power supply	AC/DC, internal, 550W
Max. PoE+ wattage per port by PSE	34.2W
PoE budget	400W

Voltage range PoE mode	44— 57V
Voltage range PoE+ mode	50—57V
Services	SMB Layer 3 PoE GbE switch
ESD/EMP protection	Air: $\pm 16\text{kV}$, contact: $\pm 12\text{kV}$
LCM display	(1) 1.3" LCM color touchscreen Bootup animation: bootup in progress Firmware upgrade icon: firmware upgrading
Button	Factory reset
Operating temperature	-5 to 40° C (23 to 104° F)
Operating humidity	10 to 95% noncondensing
Certifications	CE, FCC, IC
Support	Unifi Devices and Gateways

Item 03: Laptop Stand

Quantity: 25

Specification	Description / Features
Height Adjustment	2" – 3"
Material	Vegan Leather, Fiberglass
Compatible Model	11.6" – 16"
Weight	3oz
Dimension	180mm x 250mm x 3mm

Item 04: Cordless Screwdriver

Quantity: 2

Specification	Description / Features
Torque (soft/hard/max.)	-/5/- Nm
No-load speed (1st gear / 2nd gear)	0 – 360 rpm
Battery voltage	3.6 V
Battery type	Lithium-Ion
Chuck capacity, min./max.	6.35 mm
Clutch torque	0.2 - 5 Nm
Max. screw diameter	5 mm
Sound power level	80 dB(A)
Sound pressure level	70 dB(A)

Item 05: Battery Tester

Quantity: 1

Specification	Description / Features
Testing Range	C, AA, AAA, D, N, 9V (6F22), and 1.55V button battery
Working Temperature	0°C ~ 40°C
Portable	Yes
Can Test	C, AA, AAA, D, N, 9V 6F22, and 1.5V button cell batteries

Item 06: Duster**Quantity:** 1

Specification	Description / Features
Construction	All Steel
Speed	Single Speed
Motor	.75 Peak HP Single Fan Motor 220V
Amps	4.0
Watts	480
CFM	51
Cord	12 Ft. 2 Conductor
Unit Size	4" x 5.5" x 16"
Unit Weight	1.3 Kgs
ESD Safe	No
Accessories	20" Flexible Hose, Crevice Tool, Air "Pin Pointer", Dust Brush, Shoulder Strap, Five Extra Disposable Bags, plus 4 Pc. Micro Cleaning Tool Kit.

Item 07: CCTV Tester**Quantity:** 1**Warranty:** Minimum 06 months

Specification	Description / Features
CPU/RAM/ROM	4-core 2.0GHz/2GB(LPDDR4)/16GB(EMMC)
Operating System	Android 11.0/+
Display	8-inch IPS touch screen, 2048*1536 resolution, Backlit buttons
IP Camera Test Max 8K 32MP	IP Discovery/ONVIF/IPC test /RTSP play /Client APK Rapid Video, Auto view the video, create testing report Hik test tool, pressing just one key to activate hikvision camera, Image test, can modify the username, password and IP parameters Dahua test tool, Dahua camera test, modify the username, password and IP parameters
IP& CVBS Test	IP& CVBS test at the same time, converter test from analog to digital with dual test window
Coaxial HD Test	8MP TVI camera test, 3840 x 2160P 15FPS, UTC control/call OSD menu, Support coaxial audio 8MP CVI camera test, 3840 x 2160P 12.5F/15F,UTC control/call OSD menu 8MP AHD camera test, 3840 x 2160P 15FPS, UTC control/call OSD menu 8MP EX-SDI, HD-SDI, 3G-SDI camera test, UTC control & call OSD menu
HDMI Input	1 channel HDMI input, support 4K 3840x2160P 30fps
HDMI Output	1 channel HDMI output, support 4K 3840x2160P 60fps
Zoom Image	4x zoom, to enlarge image, screen snapshot, record, save, view and record and play back
Power Supply	DC12V/2A
Wi-Fi	Built in WIFI, 2.4GHz and 5GHz, speeds:433Mbps
Network interface	RJ45 Dual Gigabit Ethernet ports, 10/100/1000Mbps adaptive
Network test	Trace route, Link monitor, DHCP server, port flashing, Ping test
Audio test	1 channel audio signal input, test whether sound normal, 1 channel audio signal, to connect headphone

Rechargeable	After charging 3 to 4 hours, normal working time 15 hours
Auto off	1 to 30(mins)
Dimension/Weight	Tester: 260x183x43mm(10.23x7.2x1.69inch) / 1200g(2.65lbs) Package: 350x300x100mm(13.78x11.81x3.94) / 2740g(6.04lbs)

Item 08: RJ45 Crimping Tool

Quantity: 2

Specification	Description / Features
Pass Through Type	RJ45 Crimp Tool Pass Through CAT5 CAT5E CAT6 Crimper Cutter Stripper for RJ45 RJ12 RJ11 8P 6P End Pass Through connector

Item 09: Pass Through RJ45 Jack 100PCS (Box or Pack)

Quantity: 2

Specification	Description / Features
Pass Through RJ45 Jack 100PCS (Box or Pack)	Pass Through RJ45 Jacks (per Box or Pack should have at least 100PCS)

Item 10: Shear Cutter

Quantity: 2

Specification	Description / Features
Shear Cutter	Mult-Purpose shear cutter (with safety lock) 

Item 11: Wire Stripper

Quantity: 4

Specification	Description / Features
Wire Stripper	Wire Stripper Tool 

Item 12: Networking Probe Kit**Quantity:** 1**Warranty:** Minimum 03 months

Specification	Description / Features
Networking Probe Kit	Network toner and Probe kit Wire tracking RJ11 > 3000m; RJ45 > 100m, Low battery indication, 1050mAh rechargeable lithium battery.

Item 13: Krone Impact Terminal Tool with Lock (Keystone Punch down)**Quantity:** 1

Specification	Description / Features
Krone Impact Terminal Tool with Lock (Keystone Punch down)	Krone Impact Terminal Tool with Lock (Keystone Punch down). 

Item 14: Multimeter**Quantity:** 1

Specification	Description / Features
Multimeter	continuity with beeper, diode test, data hold, auto power off, low battery indication, overload indication, backlight, transistor tester. 600V.

Item 15: Screwdriver set & Spudger pry tool**Quantity:** 2

Specification	Description / Features
Screwdriver set & Spudger pry tool set.	Multi-functional manual screwdriver set, computer, mobile phone, digital disassembly and maintenance screwdriver tool combination with spudger pry tool set.

Item 16: Heavy duty craft knife (Cutter Knife)**Quantity:** 4

Specification	Description / Features
Heavy duty craft knife	Heavy duty craft knife with extra blades

Item 17: Tool bag**Quantity:** 4

Specification	Description / Features
Tool Bag	Tool bag, Tear and worn resistant, Quality fabric, multiple pockets with various dimensions, easy to carry

Item 18: Soldering wire**Quantity:** 4

Specification	Description / Features
Soldering Wire	Flux cored solder wire

Item 19: Combination plier**Quantity:** 1

Specification	Description / Features
Combination Plier	Combination plier

Item 20: Long nose plier**Quantity:** 4

Specification	Description / Features
Long nose plier	Pliers Head Shape Serrated 

Item 21: Wireless mini screwdriver set**Quantity:** 1

Specification	Description / Features
Mini Electric Screwdriver Set	Small Electric Precision Screwdriver with 5 Torque Levels, Max 0.75N.m, 500mAh Battery, 50-in-1 Cordless Power Screwdriver Kit for Laptop, Phone & Electronics Repair

Item 22: SHURE BRAND Podium microphone with BASE**Warranty:** Minimum 6 months**Quantity:** 2

Specification	Description / Features
Shure CVG18DRS-B/C-X Gooseneck Microphone 18 inch With Base and Mute Switch	Electret-condenser gooseneck microphone with integrated desktop base For use in installed sound reinforcement or conferencing Cardioid polar pattern with tailored response for speech while reducing the chance for feedback 18" dual-section gooseneck enables ease of positioning and placement Attached preamplifier, Mute switch, Light-ring indicator Includes integrated 12' cable with XLR termination Plug-and-play connection minimizes setup time Equipped with Comm Shield Technology to filter out unwanted RF interference from portable wireless devices (smartphones, etc.)

Item 23: Foldable Desktop Microphone Stand**Quantity:** 3

Specification	Description / Features
Foldable Desktop Microphone Stand with Mic Holder	Tabletop boom microphone stands with microphone holder The legs can be folded, lightweight and portable.

Item 24: Portable SSD (2TB) – NVME**Warranty:** minimum 06 months**Quantity:** 4

Specification	Description / Features
PORTABLE SSD (2TB) - NVME	2TB, USB 3.2 Gen 2 (10Gb/s) via USB-C connection Up to 1,050 MB/s Up to 1,050 MB/s (for X9 Pro version; standard X9 has read speed specified) 65 x 50 x 10 mm (2.56 x 1.97 x 0.39 in) Approximately 32g (for 1TB model) Shock and vibration resistant; drop proof up to 7.5 feet (2 meters) IP55 water and dust resistance (protection against dust and water jets) Windows, Mac, iPad Pro, Chromebook, Android, Linux, PS4, PS5, and Xbox

Item 25: Conference System**Warranty:** Minimum 6 Months**Quantity:** 1

Specification	Description / Features
Conference System	Speaker: Built-In Hi-Fi Speaker Microphone Array: Built-In 4 Microphone Array Extension Microphone: 2x Wireless Extension Microphone AI-Enabled PTZ Camera with Integrated Microphone & c/w 4x Extension Microphones

Item 26: Portable Monitor Mount**Quantity:** 7

Specification	Description / Features
Portable Monitor Stand	Ultra-Lightweight: Just 225g (0.5 lbs). Adjustable Height: Extends up to 39cm for an ergonomic screen height. Compact & Travel-Friendly: Folds down to just 22cm for seamless storage in your bag. Weight limit: Holds portable monitors up to 900g (2 lbs)

Item 27: Wireless Mic System**Warranty:** Minimum 6 Months**Quantity:** 2

Specification	Description / Features
Wireless Reciever	Power Requirements: 12–15 V DC supplied by external power supply Output Impedance: XLR connector: 200 Ω 6.35 mm (1/4") connector: 50 Ω Audio Output Level: XLR connector: –27 dBV (into 100 kΩ load) 6.35 mm (1/4") connector: –13 dBV (into 100 kΩ load) RF Sensitivity: -105 dBm for 12 dB SINAD, typical Image Rejection: >50 dB, typical
Bodypack Transmitter	Audio Input Level: gain max -16 dBV maximum min (0 dB): +10 dBV maximum Gain Adjustment Range: 26 dB Input Impedance: 1MΩ RF Transmitter Output: 10 mW Power Requirements: 2 LR6 AA batteries
Handheld Transmitter	Audio Input Level: gain 0dB -20 dBV maximum -10dB: -10 dBV maximum Gain Adjustment Range: 10 dB RF Transmitter Output: 10 mW

Item 28: 2.0 Usb Pendrive**Quantity:** 4

Specification	Description / Features
2.0 USB PENDRIVE	A USB 2.0 pen drive, officially known as Hi-Speed USB , offers a theoretical maximum signaling rate of 480 megabits per second (Mbps) , a significant improvement over its predecessor. In practice, however, typical real-world transfer speeds usually max out around 30-40 megabytes per second (MB/s).

Item 29: Portable Touch monitor**Warranty:** Minimum 12 Months**Quantity:** 5

Specification	Description / Features
Display Size	15.6"
Active Display Area(mm)	344x194
Panel type	In-Plane Switching
Max. Resolution and Refresh Rate	USB-C: 1920x1080@144Hz
Mini HDMI: 1920@1080@144Hz	
Response Time	8ms (G to G)
Contrast Ratio	1200:1 (Native)
Brightness	250 cd/m2
Viewing Angle	170°(H), 170°(V)
Colors	16.7M
Color gamut	45% NTSC

Bits	6Bit+FRC
Input Signal	2 x USB-C
1 x Mini HDMI	
1 x Micro-USB	
Speaker + Audio out	
VESA Wall Mounting	N/A
Speaker	1W x 2
Power Supply (100 - 240 V)	External Adapter
Tilt	0° – 80°
Swivel	N/A
Pivot	N/A

Item 30: Camera Side bag 3L**Quantity:** 2

Specification	Description / Features
Camera Side bag 3L	Black Sling Strap, Handle Zipper Adjustable Dividers (Hook & Loop) Water Resistant (Material) Exterior 12.01 x 7.68 x 4.33" / 30.51 x 19.51 x 11 cm Interior 7.8 x 3.5 x 2.52" / 19.81 x 8.89 x 6.4 cm Weight 0.99 lb / 0.45 kg (Empty)

Item 31: Windows Tablet**Quantity:** 2**Warranty: Minimum 12 months****Product Specifications**

Specification	Description / Features
Processor	Snapdragon X Plus (10 Core), with LCD display
NPU	Qualcomm Hexagon with 45 TOPS
Graphics	Qualcomm Adreno GPU
Memory and storage	16GB RAM Removable solid-state drive (Gen 4 SSD): 256GB
Display	Touchscreen: 13" PixelSense Flow display20 Resolution: 2880 x 1920 (267 PPI) Aspect ratio: 3:2 Contrast ratio: 1200:1 Dynamic refresh rate: up to 120Hz Color profile: sRGB and Vivid Individually color-calibrated display Adaptive color Adaptive contrast Auto color management Touch: 10-point multi-touch

	Dolby Vision IQ™21 Corning® Gorilla® Glass 5 Brightness: SDR: 600 nits maximum (typical) HDRvi: 600 nits peak luminance
Size and weight	Length: 11.3 inch (287 mm) Width: 8.2 inch (209 mm) Height: 0.37 inch (9.3 mm) Weight: 1.97 lbs (895 g)
Security	Enhanced security with Microsoft Pluton TPM 2.0 Windows 11 Secured-core PC Windows Hello face authentication with Enhanced Sign-in security Microsoft Defender – for enhanced identity and privacy protection*
Cameras	Quad HD front-facing camera 1440p Quad HD camera with ultrawide field of view 10MP Ultra HD rear-facing camera Windows Hello face authentication camera
Audio	Dual Studio Mics with enhanced voice focus 2W stereo speakers with Dolby Atmos Support for Bluetooth LE Audio
Ports and charging	2 X USB-C® / USB4 ports with support for: Charging Data transfer DisplayPort 1.4a Thunderbolt 4 Dock and other accessories Supports fast charging Keyboard port
Network and connectivity	Wi-Fi 7 Bluetooth® Core 5.4 technology
Operating System	Windows 11
Exterior	Color: Sapphire
Kickstand	Kickstand with 165 degrees full friction hinge
Sensors	Ambient color sensor Accelerometer Gyroscope Magnetometer

Item 32: Wi-Fi 6 APN**Quantity:** 4**Warranty:** Minimum 06 months

Specification	Description / Features
Wi-Fi APN	Dimensions Ø220 x 48.1 mm Environment Indoor/Outdoor 2.4 GHz Radio Rate 800 Mbps 5 GHz Radio Rate 1733 Mbps PoE Mode 802.3at PoE+ Ports (2) 10/100/1000 Ethernet Wi-Fi Users 500+ Users Wi-Fi 6

Item 33: Document Scanner**Quantity:** 2**Warranty:** Minimum 06 months

Specification	Description / Features
Connectivity Technology	Wi-Fi
Product Dimensions	11.6"D x 11.6"W x 6.9"H
Resolution	300
Item Weight	8.1 Pounds
Wattage	11 watts
Color Depth	8 bpp
Standard Sheet Capacity	50

Item 34: Wireless Miracast Device**Quantity:** 7**Warranty:** Minimum 03 months

Specification	Description / Features
Wireless Miracast Device	Wireless Connectivity: Uses Wi-Fi Direct (Miracast) for a direct peer-to-peer connection, meaning an existing Wi-Fi network or Internet access is generally not required for basic functionality. The 4K version can also connect to a local 5 GHz Wi-Fi network for potentially better performance. Screen Mirroring & Extension: Allows users to either duplicate their device's screen or extend it to create a larger workspace, similar to connecting a physical monitor. Plug and Play: The adapter has both HDMI and USB (for power) connections. Simply plug the HDMI into the display and the USB into a power source, then connect wirelessly from your device. Wide Compatibility: Works with Miracast-enabled Windows 10 and Windows 8.1 devices, as well as Android devices (version 4.2 and later). It is not compatible with Surface RT or non-HDCP (High-bandwidth Digital Content Protection) devices for certain premium content. Audio/Video Support: Supports up to 1080p HD video and 5.1 surround sound (the 4K version supports up to 4K resolution). Collaboration Features: Facilitates real-time collaboration in meetings, allowing users to project ideas and even "ink" in PowerPoint on the big screen. Range: Provides a reliable connection up to a 23-foot (7-meter) range.

Item 35: Portable Conference Camera Pillar (all in one)**Quantity:** 4**Warranty:** Minimum 06 months

Specification	Description / Features
Portable Conference Camera Pillar (all in one)	Design: The device features a sleek, all-in-one design that is easy to use, manage, and portable, allowing for quick meeting setups. Video: It provides 1080p HD video imaging with a 120° wide-angle viewing without distortion, ensuring everyone in the room is visible. Audio: The All-in-One Pillar X12 includes an integrated speaker and four microphones to ensure clear audio pick-up and playback. Functionality: It supports smart features like auto-framing and speaker focusing to enhance the conferencing experience. Compatibility: The device is compatible with popular video conferencing software such as Zoom, Webex, Tencent Meeting, WeChat, and DingTalk. Connectivity: The camera component connects via USB 2.0.

Item 36 :IP bullet Camera (Outdoor Specialized))**Quantity:** 80**Warranty:** Minimum 06 months

Specification	Description / Features
IP BULLET CAMERA (OUTDOOR SPECIALIZED)	F1.0 lens and sensitive sensors capture more light for full-color video in near darkness. Warm LED lights are used to illuminate scenes in low light, enabling vivid color imaging. AI-powered analytics can distinguish between humans and vehicles, reducing false alarms. High-quality construction and weather resistance ensure durability. Some advanced models offer features like panoramic views, 4K resolution, and smart dual-light technology. Should Support Hikvision NVR

Item 37: Dome Camera**Quantity:** 70**Warranty:** Minimum 06 months

Specification	Description / Features
4MP Fixed IR Dome Network Camera	High quality image with 4MP, 1/3" CMOS sensor 4MP (2560 × 1440) @25/20 fps; 3MP (2304 × 1296) @25/20 fps; 2MP (1920 × 1080) @30/25 fps Ultra 265, H.265, H.264 Smart IR, up to 30 m (98 ft) IR distance Day/night functionality 2D/3D DNR (Digital Noise Reduction) IP67 protection IK10 vandal resistant DC12 V or PoE (IEEE 802.3af) power supply 2-Axis Should Support Hikvision NVRs

Item 38: Junction Box (For IP Bullet Camera)

Quantity: 100

Specification	Description / Features
JUNCTION BOX (FOR IP BULLET CAMERA)	Material: Aluminum alloy or tough, UV-resistant plastic. Weather Rating: IP66 for outdoor use. Cable Management: Features multiple concealed ports for wire entry. Mounting: Pre-drilled holes for compatibility with most bullet camera bases. Dimensions: Varies; check the specific product for measurements. Should support Bullet camera's base

Item 39: Junction Box (For IP dome camera)

Quantity: 100

Specification	Description / Features
JUNCTION BOX (FOR IP DOME CAMERA)	Material: Aluminum alloy or tough, UV-resistant plastic. Weather Rating: IP66 for outdoor use. Cable Management: Features multiple concealed ports for wire entry. Mounting: Pre-drilled holes for compatibility with most bullet camera bases. Dimensions: Varies; check the specific product for measurements. Should support Bullet camera's base

Item 40: Surveillance Hard Disk (8TB)

Quantity: 8

Warranty: Minimum 06 months

Specification	Description / Features
SURVEILLANCE HARD DISK (8TB)	24/7 Reliability: Built for constant, high-volume video recording, unlike standard desktop drives. Optimized Firmware: Manages continuous streams to prevent dropped frames. Anti-Vibration (RV) Sensors: For stable performance in multi-drive systems (on high-end models). Low Power: Designed for cooler operation and reliability in always-on environments.

Item 41: 1 HDD NVR

Quantity: 5

Warranty: Minimum 06 months

Specification	Description / Features
1 HDD NVR	• Support Ultra265/H.265/H.264 video formats • 16-channel or more input • Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T • HDMI and VGA simultaneous output • Up to 8 Megapixels resolution recording • Accurate retrieval, instant playback • 2 SATA HDDs, up to 10TB for each HDD • Support cloud upgrade

Item 42: 24 port POE switch**Quantity:** 5**Warranty:** Minimum 06 months

Specification	Description / Features
24 port POE switch	24 Gigabit Ethernet ports, with PoE for powering devices. Two SFP ports for Gigabit fiber uplinks. Managed and configured via a network controller

Item 43: 16 port POE switch**Quantity:** 5**Warranty:** Minimum 06 months

Specification	Description / Features
16 port POE switch	16 Gigabit Ethernet ports, with PoE for powering devices. Two SFP ports for Gigabit fiber uplinks. Managed and configured via a network controller

Item 44: UPS Power Backup**Quantity:** 15**Warranty:** Minimum 06 months

Specification	Description / Features
UPS Power Backup	Power Capacity (VA/Watts): Indicates the maximum load the UPS can handle. Runtime: The amount of time a UPS can power connected equipment during an outage. Automatic Voltage Regulation (AVR): Corrects minor voltage fluctuations without switching to battery power. Outlets: Provides multiple outlets for power and surge protection. User-Replaceable Batteries: Allows trained users to swap batteries without shutting down the UPS. Automatic Self-Test: Periodically checks the battery status to detect potential issues. Surge Protection: Protects equipment from power surges and spikes.

Item 45: CAT6 Network Cable (Standard CAT6 Cables)**Quantity:** 4

Specification	Description / Features
CAT6 NETWORK CABLE ROLL (STANDARD CAT6 CABLES)	Data rate support: 1000Base-T (Gigabit) and maximum to 10GBase-T, over shorter distances. Space management: The thinner size is ideal for high-density environments, such as patch panels in server racks, as it promotes better airflow and is easier to route. PoE support: Can be used with PoE (Power over Ethernet) switches, but performance may be limited to lower-power applications due to the smaller conductors, which can get hotter. Shielding: Most commonly found in an unshielded twisted pair (UTP) configuration.