



މަސައްދާ

މަސައްދާ ލިބޭގޮތުގައި ސަރުކާރު: ހުށަހަޅާނީ ނަންބަރު 07 07 2026 ގައި ހުށަހަޅާނީ

މަސައްދާ ލިބޭގޮތުގައި ސަރުކާރު: ހުށަހަޅާނީ

Supply of Soil Mixer Machine

PC-266/2026/G-07

މަސައްދާ ލިބޭގޮތުގައި ސަރުކާރު: ހުށަހަޅާނީ

(IUL)266-PR/266/2026/62

މަސައްދާ ލިބޭގޮތުގައި ސަރުކާރު: ހުށަހަޅާނީ

07 07 2026 ގައި ހުށަހަޅާނީ

މަސައްދާ ލިބޭގޮތުގައި ސަރުކާރު: ހުށަހަޅާނީ

1 ވަނަ ބައި

މަސައްދާ ލިބޭގޮތުގައި ސަރުކާރު: ހުށަހަޅާނީ

މަސައްދާ ލިބޭގޮތުގައި ސަރުކާރު: ހުށަހަޅާނީ 07 07 2026 ގައި ހުށަހަޅާނީ

މަސައްދާ ލިބޭގޮތުގައި ސަރުކާރު: ހުށަހަޅާނީ

މަސައްދާ ލިބޭގޮތުގައި ސަރުކާރު: ހުށަހަޅާނީ

(A) 7.1 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

- 7.1 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

8.1 8.2 9.1 9.2 9.3 10.1 10.2

- 8.1 8.2 9.1 9.2 9.3 10.1 10.2

... 2026 266-PR/266/2026/62 ...

(6) ... 2026 266-PR/266/2026/62 ...

(7) ... 2026 266-PR/266/2026/62 ...

(8) ... 2026 266-PR/266/2026/62 ...

(9) ... 2026 266-PR/266/2026/62 ...

(10) ... 2026 266-PR/266/2026/62 ...

(11) ... 2026 266-PR/266/2026/62 ...

(12) ... 2026 266-PR/266/2026/62 ...

(13) ... 2026 266-PR/266/2026/62 ...

(14) ... 2026 266-PR/266/2026/62 ...

10.28 ... 2026 266-PR/266/2026/62 ...

(15) 2026/266-PR/266/2026/62 (IUL) 2026/266-PR/266/2026/62

2026/266-PR/266/2026/62 (IUL) 2026/266-PR/266/2026/62

(s) 2026/266-PR/266/2026/62 (IUL) 2026/266-PR/266/2026/62

2026/266-PR/266/2026/62 (IUL) 2026/266-PR/266/2026/62

2026/266-PR/266/2026/62 (IUL) 2026/266-PR/266/2026/62

2026/266-PR/266/2026/62 (IUL) 2026/266-PR/266/2026/62

2026/266-PR/266/2026/62 (IUL) 2026/266-PR/266/2026/62

2026/266-PR/266/2026/62 (IUL) 2026/266-PR/266/2026/62

2 - 2026

2026

| | |
|---------|-------------------------|
| 1. 2026 | |
| 1.1 | 2026 |
| 1.2 | 2026 |
| 1.3 | 2026 |
| 1.4 | 2026 |
| 1.5 | 2026 |
| 2. 2026 | |
| 2.1 | 2026 |
| 2.2 | (IUL)266-PR/266/2026/62 |
| 3. 2026 | |
| 3.1 | 2026 |
| | 2026 |
| | 2026 |
| 3.2 | 2026 |
| 4. 2026 | |
| 4.1 | 2026 |
| 4.2 | 2026 |
| 4.3 | 2026 |
| 5. 2026 | |
| | 2026 |
| | 2026 |
| | 2026 |
| | 2026 |

5
(2026 266-PR/266)

Form of Bid Security (Bank Guarantee)

WHEREAS,[name of Bidder] (hereinafter called "the Bidder") [company registration number] has submitted his Bid for the Project no.....issued by the Secretariat of Kulhudhuffushi City Council onfor construction of[name of Contract] (hereinafter called "the Bid") under Invitation of bidders No. [Announcement Number]

KNOW ALL PEOPLE by these presents that We [name of Bank] of [name of country] having our registered office at (hereinafter called "the Bank") are bound unto[name of Purchaser] (hereinafter called "the Purchaser") in the sum of *..... for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid; or
(2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
(b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
(c) does not accept the correction of the Bid Price pursuant to Clause 27,

* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 28.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser's having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS SEAL

[signature, name, and address]

5 - 5

5

| # | Item Name | Qty | Rate | Total |
|---|-----------------------------|-------|------------------|-------|
| 1 | Soil Mixer | 1 | | |
| 2 | Spare wheel set | 1 Nos | | |
| 3 | Service and maintenance kit | 4 Nos | | |
| 4 | Necessary tool kit | 1 Set | | |
| | | | Sub Total | |
| | | | GST 8% | |
| | | | Total | |

1

1. 1.1. **Soil Mixer**

| Soil Mixer | |
|------------------------|--|
| Year Of Manufacture | 2024 Or later |
| Condition | New |
| Fuel | Electric |
| Capacity/Throughput | Loading factor: ≥ 300 L or batch mass ≥ 150 kg Drum Volume: ~700L Throughput: ~1-2 tons/h depending on material density |
| Power | Motor Power: approximately 7kW Gear Box: R Series low-noise and hardened gearbox |
| Mixing Mechanism | Stirring speed: 0-35rpm, variable speed with inverter for speed adjustments Mechanism/blade type: Double Ribbon or Double Shaft Paddle with Scrapers Blade Material: SUS304 stainless steel, with easy access for cleaning or replacement; corrosion resistant; reinforced weld points Blade thickness: 5-8mm |
| Discharge System | Bottom Valve, DN150 (6") or larger; manual butterfly valve |
| Chassis, Frame & Build | Contact material/tank: SUS304 Stainless Steel; 3-4mm thickness Frame/other materials: carbon steel with anti-rust paint Open top design for adding soil into the drum/tank (Must include cover/lid and removable grill for safety) Manway access: Required for deep cleaning Inspection window |
| Mobility | Stationary mount option for fixed site and added safety during heavy loads Wheels; towable |
| Safety | Emergency stop Minimum IP55 rating for PLC, motor and control panel or other electrical components Input: Dustproof Cover/lid with removable grill for added safety (Preferably tool-free design) |
| Control & Operation | Integrated Control panel: start/stop, reverse, speed control, emergency stop |
| Maintenance | Tool-free access to blades and motor for maintainance and cleaning Rust Protection Low maintenance design: preferably with standardized parts, easy to source blades, scrapers motors, panels Easy lubrication points |
| Warranty & Support | Minimum 1 year warranty |

| Included Components | |
|---------------------|--|
| 1 | Soil mixer with motor, and blade/scrapper system |
| 2 | Stationary mount system for added stability during heavy loads |
| 3 | Towable and movable frame with wheels |
| 4 | Control panel and safety system |

| Additional Spare/Toolkit to be delivered with the Equipment | | |
|---|-------|-------------------------------------|
| 1 | 1 Nos | Spare wheel set |
| 2 | 4 Nos | Service and maintenance kit |
| 3 | 1 Set | Necessary tool kit |
| 4 | 1 | Service and Parts Manual in English |
| 5 | 1 | Safety Manual in English |

