

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



محتوى العرض

محتوى العرض: توفير وتركيب نظام مؤتمرات فيديو وتدفق فيديو
محتوى العرض: توفير وتركيب نظام مؤتمرات فيديو وتدفق فيديو

Supply and Installation of Video Conferencing &
Streaming System

محتوى العرض: توفير وتركيب نظام مؤتمرات فيديو وتدفق فيديو

محتوى العرض: توفير وتركيب نظام مؤتمرات فيديو وتدفق فيديو

محتوى العرض: توفير وتركيب نظام مؤتمرات فيديو وتدفق فيديو

محتوى العرض: توفير وتركيب نظام مؤتمرات فيديو وتدفق فيديو

محتوى العرض: توفير وتركيب نظام مؤتمرات فيديو وتدفق فيديو

محتوى العرض: توفير وتركيب نظام مؤتمرات فيديو وتدفق فيديو
محتوى العرض: توفير وتركيب نظام مؤتمرات فيديو وتدفق فيديو

سورة مؤمنون 1

مَنْزِلُ الْبَيْتِ

[illegible]

سورة صافات - 2 -

(۱) رَسْرَسْ دَاجِجُ

- [illegible]

(8) 7.1.6

7.1 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1.1 (1-2)

7.1.2 (2-3)

7.1.3 (3-4)

7.1.4 (4-5)

7.1.5 (5 - 6)

7.1.6 (6-7)

8.1 8.2

8.1 8.2

8.2 9.1 9.2

9.1 9.2

9.2 9.3

9.3 10.1 10.2

10.1 10.2

10.2

10.1 10.2

10.2

10.2

10.2

10.2

10.2

(سر) مَحْسُورٌ مَحْسُورٌ مَحْسُورٌ مَحْسُورٌ مَحْسُورٌ

- [illegible]

(۴) $\frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2}{dt^2} \right)$

- [illegible]

- [illegible]

[illegible][illegible][illegible][illegible]

25.1. د ارښتو ځای ښودلو، نو بیا سیمه راټولنه سره سمون وړانګه اچولای شوی چې
ځایونه ټولګی، میجرې، ځایونه او نور څیزونه چې د ځایونو
(۱) څو ځایونه یې راټول شوي شوي، د ځایونو او نور څیزونو د ځایونو
ځایونه دي.

(۴) $\frac{1}{x^2} = x^{-2}$ $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$ $\frac{d}{dx} \frac{1}{x^2} = -\frac{2}{x^3}$

(س) د ژوند تر ټولو زړه‌وښتونه (ر) نه دي، خو د ژوند تر ټولو زړه‌وښتونه (س) نه دي.

1. چۆنقۇيىدە رەڭدە قۇيۇلۇش سۈر، چۆنقۇيىدە رەڭدە رەڭدە
چۆنقۇيىدە 1 قۇيۇلۇش سۈر قۇيۇلۇش سۈر قۇيۇلۇش سۈر
سۈر

[illegible]

3. $\frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 x}{dt^2} \right) = \frac{1}{2} \frac{d^3 x}{dt^3}$ and $\frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2 x}{dt^2} \right) = \frac{1}{2} \frac{d^3 x}{dt^3}$.

[illegible]

(١) وَبِخَيْرِ النَّاسِ سِرَاسِمُ الْخَوَارِجِ وَبِخَيْرِ النَّاسِ سِرَاسِمُ الْخَوَارِجِ.

[illegible]

(س) اِنَّمَا تُقَدَّرُ شَيْءٌ مِّنْ عَمَلِكُمْ تُجْزَوْنَ لَهَا بِمَا كُنتُمْ تَعْمَلُونَ
اِنْ تَقْرَأُوا حَرْفًا فَعِلُوا فَرْقًا فَاعْلَمُوا أَنَّ هَٰذَا خَمْسَةُ عَشَرَ حَرْفًا

[illegible]

27. ۞ یٰۤاٰیُّهَا الَّذِیْنَ اٰمَنُوا لَا تَتَّبِعُوا اَمْرَ الْمُشْرِکِیْنَ ۚ ۞ 27.1 ۞ اِنۡ تَتَّبِعُوهُمۡ فَیَبْطِلۡوْا سَبۡحَ ۙ وَۤاَصۡیۡ ۙ وَبَیۡنَ ۙ اَیۡمٰنَکُمۡ ۚ ۞

[illegible]

(1) 34.1 34.2 34.3

(1) 34.1 34.2 34.3

(2) 34.1 34.2 34.3

(3) 34.1 34.2 34.3

(4) 34.1 34.2 34.3

(5) 34.1 34.2 34.3

(6) 34.1 34.2 34.3

(7) 34.1 34.2 34.3

(8) 34.1 34.2 34.3

(9) 34.1 34.2 34.3

(10) 34.1 34.2 34.3

34.1 34.2 34.3

34.1 34.2 34.3

34.1 34.2 34.3

34.1 34.2 34.3

34.1 34.2 34.3

34.1 34.2 34.3

3 - 38

38.1 38.2 38.3 38.4 38.5 38.6 38.7 39.1

- 38.1 "38.2 38.3 38.4 38.5 38.6 38.7 39.1
- 38.2 "38.3 38.4 38.5 38.6 38.7 39.1
- 38.3 "38.4 38.5 38.6 38.7 39.1
- 38.4 "38.5 38.6 38.7 39.1
- 38.5 "38.6 38.7 39.1
- 38.6 "38.7 39.1
- 38.7 "39.1
- 39.1 "39.2

42.3. දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 0.005 (සෑහීමේ ප්‍රමාණය) ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා.

$$CP*0.005*LD = \text{ප්‍රමාණය}$$

CP (සෑහීමේ ප්‍රමාණය): ප්‍රමාණය දින 2,500,000/-

LD (ප්‍රමාණය): ප්‍රමාණය දින 2,500,000/-

43.1. 43. දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 0.005 (සෑහීමේ ප්‍රමාණය) ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා.

43.2. 43. දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 0.005 (සෑහීමේ ප්‍රමාණය) ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා.

43.3. 43. දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 0.005 (සෑහීමේ ප්‍රමාණය) ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා.

43.4. 43. දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 0.005 (සෑහීමේ ප්‍රමාණය) ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා.

44. 44. දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 0.005 (සෑහීමේ ප්‍රමාණය) ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා.

44.2. 44. දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 0.005 (සෑහීමේ ප්‍රමාණය) ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා, දින 2,500,000/- ආසන්නව ප්‍රමාණය කරනු ලබන ප්‍රමාණයක් සඳහා.

4

1 - 1

4

#	4	4	4
1.	4	4	4
2.	4	4	4
3.	4	4	4
4.	4	4	4
5.	4	4	4
6.	4	4	4
7.	4	4	4
8.	4	4	4
9.	4	4	4
10.	4	4	4
11.	4	4	4
12.	4	4	4
13.	4	4	4
14.	4	4	4
15.	4	4	4
16.	4	4	4

2 - 2

2

1. 2	
1.1	2
1.2	2
1.3	2
1.4	2
1.5	2
2. 2	
2.1	2
2.2	2
3. 2	
3.1	2
3.2	2
4. 2	
4.1	2
4.2	2
4.3	2
5. 2	
5.1	2
5.2	2
5.3	2
5.4	2

3 - **صَحْرَوُو**

تَوَكَّلْ عَلَى اللَّهِ ۚ إِنَّكَ عِنْدَ رَبِّكَ تُنْزَلُ

[illegible]

4 - 4

4

4	4	4
90	90	90
10	10	10
100	100	100

5 ވަނަ ބައި (ދިވެހިސަރުކާރުގެ ގެޒެޓް)

Form of Bid Security (Bank Guarantee)

WHEREAS,[name of Bidder] (hereinafter called “the Bidder”) [company registration number] has submitted his Bid for the Project no.....issued by the Secretariat of Kulhudhuffushi City Council onfor construction of[name of Contract] (hereinafter called “the Bid”) under Invitation of bidders No.[Announcement Number]

KNOW ALL PEOPLE by these presents that We [name of Bank] of [name of country] having our registered office at (hereinafter called “the Bank”) are bound unto[name of Purchaser] (hereinafter called “the Purchaser”) in the sum of *..... for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
or
- (2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
 - (c) does not accept the correction of the Bid Price pursuant to Clause 27,

* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 28.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser’s having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS SEAL

[signature, name, and address]

5 - ވަނަ ބައި
އަޅާ ތަކާއި ދަތުރު

No.	Description	Quantity	Rate	Total
1	Camera Model A + mount	1		
2	Camera Model B + mount	1		
3	Ceiling-mounted Speakerphone System (1 x Connectivity Hub; 1 x Base Ceiling Speakerphone; 2 x Expansion Speakerphones)	1		
4	Installation and configuration charges	1		
5	Training and documentation	1		
Sub Total				
GST 8%				
Net Total				

6 -

Minimum Specifications: Unified Video Conferencing & Streaming System

1. General Requirements & Compliance

- Authorized Supply:** Items must be procured directly from the manufacturer or an authorized distributor/partner. A supporting document confirming this authorization, obtainable from the supplier, must be submitted together with the proposal.
- System Uniformity:** All core hardware (Cameras, Hub, and Speakerphones) must be from the same manufacturer to ensure seamless AI integration and 3D audio tracking.

2. Scope of Work

The contractor shall provide a complete, "turn-key" solution including the supply, installation, wiring, and technical configuration of a professional-grade video conferencing, streaming, and training for relevant staff.

Installation & Integration Requirements

- Device Mounting:** Secure installation of **two (2) separate camera units** and **three (3) ceiling-mounted speakerphones** (one base unit and two expansion units).
- Camera Configuration:** One (1) camera shall be **Model A** (Standard Dual-Lens) and one (1) camera shall be **Model B** (Advanced Dual-Lens with Audio Tracking).
- Mounting Locations:** One camera shall be wall-mounted and one camera shall be ceiling-mounted. Assistance will be provided by council if the ceiling needs to be reinforced to hold the camera's weight.
- Central Hub Setup:** Installation of the connectivity hub to interface with the Council-provided PC/Laptop.
- Display Integration:** Full connection and calibration of the existing Council-provided TV/Display.
- Wiring & Electrical:**
 - Supply and installation of all necessary cabling (USB 3.0, HDMI, Cat6/PoE+, etc.) per the provided room drawing.
 - Installation of dedicated electrical power points for the cameras and the hub will be provided by the council.

- **Platform Configuration:**
 - **YouTube Live Streaming:** Configure hardware for direct RTMP/RTSP streaming to YouTube.
 - **Platform Agnostic Setup:** Ensure full "plug-and-play" compatibility for future use with Microsoft Teams, Zoom, and Google Meet.
- **Testing & Optimization:**
 - **AI Camera Tuning:** Calibrate features (SmartFrame, Smart Gallery, and Smart ViewShift) for the specific room layout.
 - **Transcription Calibration:** Calibrate audio levels for AI transcription accuracy, ensuring minimal background noise and clear voice separation for 12 participants.
- **Training & Documentation:**
 - **Training:** Provide in-person physical training for Council staff on using the hardware and starting/managing AI transcriptions.
 - The cost incurred for conducting the training must be included in the bid. This must include all expenses related to the trainers' travel, accommodation, and meals.
 - Council will provide a hall for conducting the training. Furthermore, the training must be arranged within 10 days of the completion of this work.
 - **Documentation:** Provide an "As-Built" wiring diagram and a "Quick Start" guide for streaming and transcription.

3. Hardware Specifications

- *Keep the Camera and Speakerphone Specification tables as provided.*
- **Manufacturer Consistency:** All proposed hardware in this section (Camera Model A, Camera Model B, and the Speakerphone System) must belong to a single unified product ecosystem from the same manufacturer to support proprietary AI synchronization and 3D audio tracking.

Camera Model A Specifications

- This model is characterized by 24X zoom and specific AI features.

Feature	Primary PTZ Lens	Secondary AI Lens
Image Sensor	4K EXMOR type sensor	4K EXMOR type sensor
Max Resolution	4K at 30fps; 1080p up to 60fps	4K at 30fps (follows PTZ)
Field of View	DFOV 85° / HFOV 76° / VFOV 46° (Minimum)	DFOV 95° / HFOV 82° / VFOV 52° (Minimum)
Zoom	24X Total (12X Optical / 2X Digital Minimum)	Fixed Focal Length
Aperture (F#)	f/1.8 (wide) ~ f/2.8 (tele)	f/2.0
AI Features	Auto-framing, multi-participant gallery view (Smart Gallery), gesture control, dynamic framing	Dynamic Framing (detects newcomers)
Connectivity	USB 3.1 Type-B, HDMI 1.3, IP (RJ45 with PoE+)	Integrated via Main Body
Imaging	True WDR up to 120dB	Supported



Camera Model B Specifications

This model is characterized by enhanced 36X zoom, integrated audio sensors, and specific AI feature upgrades.

Feature	Primary PTZ Lens	Secondary AI Lens
Image Sensor	4K EXMOR type sensor (High performance in low light)	4K EXMOR type sensor
Max Resolution	4K at 30fps; 1080p up to 60fps	4K at 30fps
Field of View	DFOV 90° / HFOV 78° / VFOV 50° (Minimum)	DFOV 95° / HFOV 82° / VFOV 52° (Minimum)
Zoom	36X Total (12X Optical / 3X Digital Minimum)	Fixed Focal Length
Aperture (F#)	f/1.8 (wide) ~ f/3.6 (tele)	f/2.0
AI Features	Auto-framing, multi-participant gallery view (Smart Gallery), gesture control, advanced movement sensitivity reduction (Smart ViewShift)	Dynamic Framing (detects newcomers)
Audio Tracking	Minimum 3 Built-in Audio Sensor pairs for Voice Tracking	N/A
Connectivity	USB 3.1 Type-B, HDMI, IP (RJ45 with PoE+)	Integrated via Main Body
Imaging	True WDR up to 120dB	Supported

Ceiling-mounted Speakerphone System Specifications

The system must provide 360-degree coverage and act as a central AV hub:

Feature	Specification Details
System Components	1 x Connectivity Hub; 1 x Base Ceiling Speakerphone; 2 x Expansion Speakerphones
Microphone Array	Minimum 21 microphones total per unit; 360-degree pickup
Acoustic Pickup	3.5m (11.5 ft) radius per unit
Audio Processing	AI Noise Suppression, Voice Fencing/Gating, Acoustic Echo Cancellation (AEC), and De-reverberation
Audio Tracking	3D Audio Tracking capable of guiding compatible USB cameras
Video Integration	Hub must feature minimum 2x USB ports for cameras and 1x 4K HDMI-out for display
PC Connectivity	1x USB 3.0 Type-C port for single-cable connection to a computer
Power Supply	Hub must provide sufficient power (PoE) for all 3 daisy-chained units

4. Warranty and Support

Hardware Warranty: Minimum 1-year comprehensive hardware replacement warranty

5. Layout and Drawing Compliance

