



دَسَائِمُ كُفْرَا دَائِمَةٌ

دَسَائِمُ كُفْرَا دَائِمَةٌ

هذه المدينة الدائمة هي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة.

دَسَائِمُ كُفْرَا دَائِمَةٌ

1.1. هذه المدينة الدائمة هي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة.

1.2. هذه المدينة الدائمة هي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة.

1.3. هذه المدينة الدائمة هي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة.

1.4. هذه المدينة الدائمة هي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة.

1.5. هذه المدينة الدائمة هي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة.

1.6. هذه المدينة الدائمة هي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة، وهي مدينة كفرة دائمة.



Handwritten signature in blue ink.

Sample



Flat Shovel

Tooth Shovel




2. 2

.2. 2. 2

REVISED
16-12-2024

Excavator			
Preferred Origins of Brand	<i>Japanese, American, European, Australian or equivalent quality and specifications</i>		
Year Of Manufacture	<i>2022 Or Later</i>	Mirror, Lights	<i>Rear view mirror</i>
Condition	<i>NO Damage</i>		<i>Two front working lights (Boom and storage box)</i>
Milage /Hours	<i>800 Hours or below</i>		
Fuel	<i>Diesel</i>	Travel System	<i>Variable displacement axial piston, two speed motors</i>
Fuel tank capacity	<i>70 liter minimum</i>	Control	<i>Two hand levers</i>
Boom		Arm Length	<i>1.4 to 2 meters</i>
		Bucket Capacity	<i>0.14 – 0.2 cbm</i>
Digging Reach	<i>5 meters minimum</i>	Operating Weigth	<i>4700 to 5500 kg</i>
Swing radius	<i>2 – 3 meters Approx</i>	Other requirements	<i>Dozer Blade (Curved Dozer Blade)</i>
Bucket Digging Force	<i>33 KN / Above</i>		<i>Hour Meter</i>
Arm Crowding Force	<i>25 KN / Above</i>		<i>Control Panel (Monitor Display Panel)</i>
Bucket (Shovel)	<i>1 Flat Shovel</i> <i>1 Tooth Shovel</i>		

Additional Spare/Toolkit to be delivered with the vehicle		
1	3 sets	Rubber pads for track
2	1 set	Service and Maintenance Kit (lube oil, coolant, transmission fluid, break fluid, hydraulic oil) If applicable
3	2 Sets	Jack Ring Set
4	2 Sets	Seal Kit Set
5	2 Sets	Belt Set
6	2 Sets	Greese Nozel Sets
7	4 Nos	Oil and air filter set
8	1 No	Manual Pnumatic Grease Gun (5 Kg Minimum)
9	1 No	High Quality Multi Purpose/ Moly Grease Bucket (10 kg) minimum
10	2 Sets	Hydraulic pressure hose sets
11	1 Set	Necessary Tool Kit
12	1	Service and Parts Manual in English



Sample



Flat bucket

Tooth Bucket




REVISED
16-12-2024

1. **مۆشەرت**

3. **مۆشەرتىڭىزنىڭ خۇسۇسىيەتلىرى ۋە ئۆلچەملىرىنىڭ تەكشۈرۈلۈشى ئۈچۈن، ئۆزىڭىز تەكشۈرۈشكە تەييارلىغان مۆشەرتىڭىزنىڭ سۈپىتىنى تەكشۈرۈش**

Telescopic Boom Lift			
Preferred Origins of Brand	<i>Chinese, Japanese, Indian or or equivalent quality and specifications</i>		
Year Of Manufacture	<i>2022 Or Later</i>		
Lifting capacity	<i>250 – 350 kg</i>		
Condition	<i>No Damage</i>		
Milage /Hours	<i>200 km / 72 hours</i>		
Engine	<i>Deisel Engine</i>	Standard Features	
Fuel tank capacity	<i>40 to 70 liter</i>	<i>12V auxiliary Power</i>	<i>LED Motion Amber Beacon</i>
Fuel	<i>Diesel</i>	<i>Multifunction Controls</i>	
Platform Height	<i>12 meters</i>	<i>Interactive Display at Ground Control</i>	
Horizontal Outreach	<i>10 meters</i>	<i>Platform Console Machine</i>	
Swing	<i>360 Degrees</i>	<i>Status Light Panel</i>	
Platform Working Capacity	<i>250 – 350 kg</i>	<i>Propotional Controls</i>	
Tire	<i>For Asphalt, Turf or sand</i>	<i>Sky Guard Skyline</i>	
Boom Type	<i>Telescopic or Articulated</i>		
Dimensions			
Ground Clearance	<i>20 -30 cm</i>	Machine Length without boom	<i>3.5 meters max</i>
Wheelbase	<i>2.2 meters Max</i>	Machine Height	<i>1.5 meters</i>

Additional Spare/Toolkit to be delivered with the vehicle		
1	1 set	Service and Maintenance Kit (lube oil, coolant, transmission fluid, break fluid, hydraulic oil) If applicable
2	1 Set	Hydraulic pressure hose sets
3	1 Set	Oil and Air Filter
4	2	Spare Wheel
5	1 Set	Necessary Tool Kit
6	1	Service and Parts Manual in English



سۆيۈش: 7 8 7

Sample



Handwritten signature in blue ink.