

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



މާލުދިވެހިރާއްޖޭގެ ސަރުކާރުގެ ނަންބަރު 1

މާލުދިވެހިރާއްޖޭގެ ސަރުކާރުގެ ނަންބަރު 2

މާލުދިވެހިރާއްޖޭގެ ސަރުކާރުގެ ނަންބަރު 3

މާލުދިވެހިރާއްޖޭގެ ސަރުކާރުގެ ނަންބަރު 4  
މާލުދިވެހިރާއްޖޭގެ ސަރުކާރުގެ ނަންބަރު 5  
މާލުދިވެހިރާއްޖޭގެ ސަރުކާރުގެ ނަންބަރު 6



ސަފުހާ: 1 29



نَعْرِضُكَ خَيْرًا، خَيْرًا مِمَّا رَجَعْتَ


دَسَوَرَنَ دُورَ دُورَ دُورَ دُورَ

1. **قرن سید محمد**


- 1.1 ڏسڻ ۽ ڄاڻڻ جي ڳالهه ۾ ڪي به ڳالهه ڪونه ٿي سگهن ٿيون. اهو ئي ڳالهه ٿي سگهي ٿو.
- 1.2 ڳالهه ۾ ڪي به ڳالهه ڪونه ٿي سگهن ٿيون. اهو ئي ڳالهه ٿي سگهي ٿو.
- 1.3 اهو ئي ڳالهه ٿي سگهي ٿو. اهو ئي ڳالهه ٿي سگهي ٿو. اهو ئي ڳالهه ٿي سگهي ٿو.
- 1.4 اهو ئي ڳالهه ٿي سگهي ٿو. اهو ئي ڳالهه ٿي سگهي ٿو. اهو ئي ڳالهه ٿي سگهي ٿو.
- 1.5 اهو ئي ڳالهه ٿي سگهي ٿو. اهو ئي ڳالهه ٿي سگهي ٿو. اهو ئي ڳالهه ٿي سگهي ٿو.
- 1.6 اهو ئي ڳالهه ٿي سگهي ٿو. اهو ئي ڳالهه ٿي سگهي ٿو. اهو ئي ڳالهه ٿي سگهي ٿو.


| Item Name                         | Quantity | Specification                                                                                                                                                                                       | Artwork                                                                               |
|-----------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Foldable Meeting/conference Table | 62       | <ul style="list-style-type: none"> <li>▪ Base/Bracket: 3-0mm-thick magnesium</li> <li>▪ Column: 2mm-thick aluminum</li> <li>▪ Beam: 50 X 25 X 1.5mm cold-rolled steel, length adjustable</li> </ul> |  |


|                                                                   |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                            |
|-------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>See full pictures<br/>in <b>Annex 1</b></p>                    |            | <ul style="list-style-type: none"> <li>▪ Metal colors: white</li> <li>▪ Glide: PP· Optional lockable<br/>2.5inch PU castors</li> <li>▪ Wood top foldable· Stackable for<br/>space saving</li> <li>▪ With Modesty panel, length<br/>adjustable <ul style="list-style-type: none"> <li>➤ Overall length: 1200mm</li> <li>➤ Overall width: 600mm</li> <li>➤ Overall height: 750mm</li> </ul> </li> </ul>                                                                                                                                                                                                                                                                                                                                        |                                                                                         |
| <p>Foldable chair<br/>See full pictures<br/>in <b>Annex 2</b></p> | <p>160</p> | <p>Crafted from highly durable<br/>magnesium and fabric for a<br/>comfortable seat, and magnesium<br/>alloy legs for the toughest of lives.</p> <p>Quickly foldable and side stacked.</p> <p>With Castor-wheels.</p> <p><u>Features</u></p> <ul style="list-style-type: none"> <li>▪ Light-weight and Durable Die<br/>cast Aluminium Chair Frame in<br/>Stackable design for neater<br/>environment</li> <li>▪ Moulded Foam Seat with<br/>Customizable Fabric Colors</li> <li>▪ Hard-wearing Nylon Castor<br/>Wheels allows Ease of<br/>Manoeuvring while Protecting<br/>Flooring</li> </ul> <p><u>Dimensions in mm</u></p> <p>Overall width: 595mm<br/>Overall Height: 870mm<br/>Floor to seat height: 465mm<br/>Castor Wheel: 3.5 inch</p> |   |




|                                                                                                                         |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                                                         |    | <p><u>Material</u></p> <ul style="list-style-type: none"> <li>▪ Die Cast Aluminium Chair Frame</li> <li>▪ Fabric Foam Cushion Seat</li> <li>▪ Nylon Wheel Castor</li> </ul> <p>Color need to be aproved</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                     |
| <p>Foldable Table</p> <p>With Cloth Cover,</p> <p>Cloths (24 PCS)</p> <p>See full pictures</p> <p>in <b>Annex 3</b></p> | 12 | <ul style="list-style-type: none"> <li>▪ NBH – Folding Table</li> <li>▪ Portable</li> <li>▪ Brand: NBH</li> <li>▪ Model: HTR150F</li> <li>▪ Color: White/Grey</li> <li>▪ Material: Plastic + Metal Legs</li> <li>▪ Features:</li> <li>▪ Seats 6 to 8 people.</li> <li>▪ Easy to fold and carry with handle.</li> <li>▪ Suitable for indoor or outdoor settings.</li> <li>▪ Space-Saving: Folds flat for easy storage.</li> <li>▪ Durable Build: Sturdy plastic top and metal legs ensure long-lasting use.</li> <li>▪ Dimension:</li> <li>▪ Width x Depth x Height</li> <li>▪ Millimeter (mm):</li> <li>▪ Dia· 1520 x H 730mm</li> <li>▪ Inch ("):</li> <li>▪ Dia· 59·8” x H 28·7”</li> <li>▪ Feet (') Inch ("):</li> <li>▪ Dia· 5' x H 2'5”</li> </ul> |  |




|                                                                                                        |                     | <ul style="list-style-type: none"><li>Folded Dimension: W 1520 x D 760 X H 90mm (W 59.8” x D 29.9” x H 3.5”)</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                            |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |
|--------------------------------------------------------------------------------------------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------------------|-------------------|-------------|----------------------------------------------------------------------------------|--------------|---------------------------|-------------------|---------------------------------------------------------|--------------|-------------------------|---------------|---------------------------------------|----------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Coctail Table With Covering Cloths (Covering Cloths 16 PCS)<br><br>See full pictures in <b>Annex 4</b> | 8                   | <ul style="list-style-type: none"><li>MNI - Dining Table</li><li>Brand: MNI</li><li>Model: DT510</li><li>Color: White</li><li>Shape: Round</li><li>Material: Plastic</li><li>Dimension</li><li>Diameter x Height</li><li>Millimeter (mm):</li><li>Dia· 700 x H 1050mm</li><li>Inch (”):</li><li>Dia· 27.6” x H 41.3”</li><li>Feet (') Inch (”):</li><li>Dia· 2'4" x H 3'5”</li></ul>                                                                                                                                                                                                                                                                                                                                      | <br> |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |
| Dutbin<br><br>See full pictures in <b>Annex 5</b>                                                      | 4                   | Height 600mm<br>Stainless Steel<br>Foot Pedal<br>Round shape<br>27L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                       |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |
| Interactive Flat Panel Displays (IFPs) with Stand<br><br>See full Information in <b>Annex 6</b>        | 1                   | <table><tr><th>Component</th><th>Technical Parameter</th><th>Minimum Requirement Specifications</th></tr><tr><td rowspan="6">Display &amp; Visuals</td><td>Screen Type</td><td>Direct-lit LED Backlight with Anti-Glare/Anti-Fingerprint tempered safety glass.</td></tr><tr><td>Display Size</td><td>98-inch diagonal minimum.</td></tr><tr><td>Native Resolution</td><td>3840 x 2160 (4K UHD) at a minimum refresh rate of 60Hz.</td></tr><tr><td>Aspect Ratio</td><td>16:9 widescreen format.</td></tr><tr><td>Viewing Angle</td><td>178° horizontal and vertical minimum.</td></tr><tr><td>Display Colors</td><td>1.07 Billion colors (10-bit) with automated ambient light brightness adjustments.</td></tr></table> | Component                                                                                                                                                                  | Technical Parameter | Minimum Requirement Specifications | Display & Visuals | Screen Type | Direct-lit LED Backlight with Anti-Glare/Anti-Fingerprint tempered safety glass. | Display Size | 98-inch diagonal minimum. | Native Resolution | 3840 x 2160 (4K UHD) at a minimum refresh rate of 60Hz. | Aspect Ratio | 16:9 widescreen format. | Viewing Angle | 178° horizontal and vertical minimum. | Display Colors | 1.07 Billion colors (10-bit) with automated ambient light brightness adjustments. |  |
| Component                                                                                              | Technical Parameter | Minimum Requirement Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                            |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |
| Display & Visuals                                                                                      | Screen Type         | Direct-lit LED Backlight with Anti-Glare/Anti-Fingerprint tempered safety glass.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                            |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |
|                                                                                                        | Display Size        | 98-inch diagonal minimum.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                            |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |
|                                                                                                        | Native Resolution   | 3840 x 2160 (4K UHD) at a minimum refresh rate of 60Hz.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                            |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |
|                                                                                                        | Aspect Ratio        | 16:9 widescreen format.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                            |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |
|                                                                                                        | Viewing Angle       | 178° horizontal and vertical minimum.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                            |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |
|                                                                                                        | Display Colors      | 1.07 Billion colors (10-bit) with automated ambient light brightness adjustments.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                            |                     |                                    |                   |             |                                                                                  |              |                           |                   |                                                         |              |                         |               |                                       |                |                                                                                   |                                                                                       |






|                                                                |    |                                                                                                              |                                                                                       |
|----------------------------------------------------------------|----|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <p>Card Holder Sofa</p> <p>10 PCS</p> <p><b>Annex 7</b></p>    | 10 | <p>Overall length: 1200mm</p> <p>Overall width: 600mm</p> <p>Overall height: 1050mm</p> <p>On seat 450mm</p> |    |
| <p>120cm Long Table with Wood veneer</p> <p><b>Annex 7</b></p> | 7  | <p>Overall length: 1200mm</p> <p>Overall width: 600mm</p> <p>Overall height: 750mm</p>                       |    |
| <p>60cm Wooden Leather Square Table</p> <p><b>Annex 7</b></p>  | 10 | <p>Overall length: 600mm</p> <p>Overall width: 600mm</p> <p>Overall height: 750mm</p>                        |  |
| <p>Single Chair</p> <p><b>Annex 7</b></p>                      | 15 | <p>Overall length: 450mm</p> <p>Overall width: 520mm</p> <p>Overall height: 800mm and 450mm</p>              |  |



|                                       |    |                                                                                                                                                                                                                                                                                         |                                                                                      |
|---------------------------------------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Podium                                | 1  | <p>Overall height: 1140mm</p> <p>Magnetic removable plate with council logo and name</p>                                                                                                                                                                                                |   |
| <p>Ergonomic chair</p> <p>Annex 8</p> | 18 | <p>Ergonomic chair</p> <p>Back frame PP+ fiber, head pillow can be up and down the belt hanger</p> <p>Single frame cushion + imported special network</p> <p>3D lifting handrail</p> <p>Stage 3 locking multi-functional chassis</p> <p>350MM aluminum fit +60MM all-black PU wheel</p> |  |




|                                        |    |                                                                                                                                                                       |                                                                                                                                                                                                                                                                   |
|----------------------------------------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Bean Bag</b>                        | 5  | <p>Color: Royal blue - Cream - Dark Orange</p> <p>Dimentions: 900mm*1100mm</p> <p>Faux linen or other fabric</p>                                                      |  <p>90*110CM</p>                                                                                                                                                               |
| <b>velvet storage stool</b>            | 10 | Same as stool in Munus Hub                                                                                                                                            |                                                                                                                                                                                |
| <b>Training Chair with Table Board</b> | 50 | <p>Feature:</p> <p>Material: stand: metal ;armrest: PP; back: mesh felt;Cushion: high density sponge;writing pad: ABS</p> <p>Must include: writing pad and wheels</p> |    |




8 5 29 : 800


|                                   |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                     |
|-----------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <p><b>Powered Loudspeaker</b></p> | <p>2</p> | <p><b>Item Type:</b> 2 x 10" Powered Loudspeaker (Enhanced, Monitor-Capable)</p> <p><b>Driver Configuration:</b> 10" woofer + 1" compression driver</p> <p><b>Power Output:</b> 1400W Class-D amplifier</p> <p><b>Max SPL:</b> 127 dB peak</p> <p><b>Frequency Response:</b> 52 Hz – 23 kHz (-10 dB)</p> <p><b>DSP Voicing Modes:</b> Music, Live, Club, Monitor + Indoor/Outdoor settings</p> <p><b>Monitor Features:</b> Dedicated Monitor voicing mode, built-in monitor wedge angle for floor monitor use</p> <p><b>Feedback Control: Built-in Feedback Eliminator</b></p> <p><b>Channel Features:</b> Music Ducking (auto-reduces Ch-2 when Ch-1 receives signal)</p> <p><b>Inputs / Outputs: Ch-1:</b> XLR/TRS (mic or line); Ch-2: XLR/TRS line + stereo 1/8" aux; Thru output</p> <p><b>Wireless Connectivity:</b> Bluetooth playback &amp; control, app-based speaker linking</p> <p><b>App Support:</b> Companion app for EQ, voicing modes, and channel level control</p> <p><b>Mounting:</b> Standard pole mount</p> |  |
|-----------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|




|                                         |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                     |
|-----------------------------------------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                         |    | <b>Dimensions:</b> 22.4" x 13.0" x 12.8" (569 x 330 x 325 mm)<br><b>Weight:</b> 25.6 lb / 11.6 kg (per unit)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                     |
| Channel Digital Anti-Feedback Processor | 2  | <b>Item Type:</b> 2 x 2-Channel Digital Anti-Feedback Processor<br><b>Channels:</b> 2<br><b>Inputs/Outputs:</b> XLR & Jack input and output per channel<br><b>Operating Modes:</b> Fixed mode (storable filters/presets), Live mode (real-time analysis and editing)<br><b>Filter Precision:</b> Extremely narrow notch filters, up to 1/80 of an octave<br><b>Programmable Filters:</b> 24 per channel<br><b>Indicators:</b> LED chain for all 24 filters per channel, LCD display<br><b>Connectivity:</b> USB port (firmware updates)<br><b>Power:</b> Internal power supply<br><b>Format:</b> 19" / 1U rack unit |  |
| HDMI Cable (High Speed)                 | 10 | <b>Item Type:</b> HDMI Cable (High Speed)<br><b>Length:</b> 15ft / 4.5m<br><b>Connector Type:</b> HDMI Type A to HDMI Type A<br><b>HDMI Version:</b> HDMI 2.1<br><b>Bandwidth:</b> 48Gbps<br><b>Resolution Support:</b> Up to 4K@60Hz (backward                                                                                                                                                                                                                                                                                                                                                                     |                                                                                     |




|                                                                  |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                       |
|------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                  |           | <p>compatible with 2K, 1080p, 720p)</p> <p><b>Compatible Devices:</b><br/>MacBook, iMac, Mac Mini, Apple TV, Windows laptops &amp; desktops, Microsoft Surface, monitors, TVs, projectors, and any standard HDMI-enabled device</p> <p><b>Audio Support:</b> ARC/eARC, multi-channel digital audio</p> <p><b>Materials:</b> Braided nylon jacket, gold-plated connectors</p> <p><b>Colour:</b> Black</p>                                                                                                             |    |
| <p><b>IEC C13 'Kettle' Power Cable Lead with UK Pin Plug</b></p> | <p>10</p> | <p><b>Item Type:</b> IEC C13 'Kettle' Power Cable Lead with UK Pin Plug</p> <p>Connector Type: C13 (IEC) to UK 3-Pin Plug</p> <p><b>Length:</b> 10m</p> <p><b>Fuse Rating:</b> 13A</p> <p><b>Max Power Capacity:</b> Up to ~2990W at 230V (within 13A fuse limit) — suitable for most amplifier/subwoofer power draw</p> <p><b>Compatible Devices:</b><br/>Computers, Monitors, Printers, and other electronics with a C13 inlet</p> <p><b>Safety Features:</b> Moulded strain relief, safety standard compliant</p> |  |




|                                        |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                       |
|----------------------------------------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                        |    | Construction: Premium materials for durability and reliable power transfer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                       |
| <b>USB-C to HDMI Multiport Adapter</b> | 10 | <p><b>Item Type:</b> USB-C to HDMI Multiport Adapter</p> <p><b>Colour:</b> Gray</p> <p><b>Ports / Interface:</b> HDMI 2-1, USB-C (PD), USB 3-0, USB 2-0</p> <p><b>Compatible Devices:</b> Laptops, Tablets, Smartphones with USB-C (Thunderbolt 3/4 compatible) — MacBook Pro/Air, iPad Pro, Chromebook, Surface Book, Galaxy S21/S20/S10, etc</p> <p><b>Charging (Power Delivery):</b> 27W max via USB-C</p> <p><b>USB Data Transfer Speed:</b> 10 Gbps (USB 3-0 / 3-1 Gen 1)</p> <p><b>Video Output:</b> 4K (backward compatible with 2K, 1080p, 720p)</p> <p><b>Materials:</b> Aluminum alloy</p> <p><b>Dimensions:</b> 2-3" x 2-1" x 0-4" (60 x 55 x 10 mm)</p> <p><b>"Cable Length:</b> 130mm / 0-5</p> <p><b>Weight:</b> 0-04 kg / 0-88 oz</p> |    |
| <b>Softbox</b>                         | 2  | <p><b>Item Type:</b> Softbox (8-Sided Octagon Shape)</p> <p><b>Interior Color:</b> Silver</p> <p><b>Light Compatibility:</b> Built-In Speed Ring with Godox</p> <p><b>Mount:</b> For Godox AD300Pro</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |





|                                 |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                     |
|---------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                 |   | / Godox AD400Pro / Godox ML60<br><b>Accepts Grids:</b> Yes (Included)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                     |
| <b>Bi Color LED Video Light</b> | 2 | <b>Item Type:</b> LED Monolight<br><b>Included Light Modifier:</b><br>Lens<br><b>Included Storage Case:</b> Yes<br><b>Photometrics at 3.3' / 1 m:</b><br>3200K: 288 fc / 3100 Lux<br>(Unmodified) Spot Beam at 3200K: 2323 fc / 25,000 Lux<br>(with Lens) 5600K: 344 fc / 3700 Lux (Unmodified) Spot Beam at 5600K: 2750 fc / 29,600 Lux (with Lens)<br><b>Color Temperature:</b> 2800 to 6500K<br><b>Color Modes:</b> Daylight, Tungsten<br><b>Color Accuracy Standard:</b><br>CRI 96 TLCI 96<br><b>Dimming:</b> App-Controlled / Built-In Dimmer 0 to 100%<br><b>Front Accessory Mount:</b><br>Proprietary<br>Wireless Remote Control<br><b>Type:</b> Bluetooth<br><b>Power Source:</b> Battery (Included) USB Power (Cable Included) AC to DC Adapter (Not Included)<br><b>Battery Plate Type:</b><br>Proprietary (Built-In) |  |




|                                                                    |   |                                                                                                                                                                                                                                                                                                                                         |                                                                                       |
|--------------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                    |   | <b>Battery:</b> Proprietary<br>Rechargeable (Included)<br><b>Input Power:</b> 12 to 20 VDC<br>at 1.5 to 5 A<br><b>Fixture Mounting:</b> 1/4"-20<br>Female Thread                                                                                                                                                                        |                                                                                       |
| <b>Air Cushioned<br/>Light Stand</b>                               | 2 | <b>Stand Type:</b> General Purpose<br>Stand<br><b>Height: Maximum Working</b><br>114.2" / 290 cm<br><b>Minimum Working Height:</b><br>48.4" / 123 cm<br><b>Load Capacit:</b> 22 lb / 10 kg<br><b>Stand/Column Top Mount:</b><br>5/8" Receiver<br><b>Wheels:</b> Optional<br><b>Air Cushioned:</b> Yes<br><b>Weight:</b> 4.4 lb / 2 kg   |    |
| <b>Split ND Filter<br/>Set for DJI Mavic<br/>4 Pro (2-3 Stops)</b> | 1 | <b>Filter Type:</b> Solid ND<br><b>Exposure Reduction:</b> 2 to 3 -<br>Stop<br><b>Size:</b> Dedicated<br><b>Filter Material:</b> Glass                                                                                                                                                                                                  |  |
| <b>Cooling Fan for<br/>Sony Camera</b>                             | 2 | <b>Compatibility:</b> Sony FX3 /<br>FC30 / ZV-E1 / ZV-1 / a7S<br>III / a6700 / a7C / ZV-E10 /<br>ZV-E10 II / a7 IV / a7C II<br><b>USB I/O:</b> 1 x USB-C (Power<br>Only) Female Input<br><b>Power Source:</b> USB<br><b>DC Input Power:</b> 4.5 to 10.8<br>VDC at 1 to 2 A<br><b>Power Consumption:</b> 18 W<br>(Maximum) 5 W (Typical) |  |




|                          |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                       |
|--------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                          |   | <b>Mounting:</b> 1x Mounting Frame (8 Options)<br><b>Color:</b> Black<br><b>Material of Construction:</b> Aluminum, ABS+PC Plastic<br><b>Operating Conditions:</b> 32 to 113°F / 0 to 45°C                                                                                                                                                |                                                                                       |
| Micro-HDMI to HDMI Cable | 1 | <b>Interface:</b> HDMI 2-0<br><b>Connector 1:</b> 1x Micro-HDMI Male<br><b>Connector 2:</b> 1x HDMI Male<br><b>Cable Length:</b> 13-8" / 35 cm<br><b>Active/Passive:</b> Passive<br><b>Maximum Resolution</b><br><b>Support:</b> 3840 x 2160 at 60 Hz<br><b>Materials:</b> Jacket: Thermoplastic Elastomer (TPE)<br><b>Color:</b> Black   |    |
| COB Light                | 1 | <b>Item Type:</b> 1x COB LED Monolight<br><b>Included Light Modifier:</b> 1x Reflector 1x Softbox with Removable Grid<br><b>Included Storage Case:</b> Yes<br><b>Photometrics at 3-3' / 1 m:</b> 361 fc / 3881 Lux<br><b>Photometrics (with Reflector) at 3-3' / 1 m:</b> 1609 fc / 17,317 Lux<br><b>Color Temperature:</b> 2700 to 6500K |  |




|  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  |  | <p><b>Color Modes:</b> Daylight, Tungsten</p> <p><b>Color Accuracy Standard:</b> CRI 95 TLCI 97</p> <p><b>Dimming:</b> Built-In Dimmer 0 to 100%</p> <p><b>Cooling System:</b> Fan</p> <p><b>Built-In Flash:</b> No</p> <p><b>Preprogrammed Effects:</b> No</p> <p><b>Umbrella Mount:</b> Yes</p> <p><b>Front Accessory Mount:</b> Proprietary Bowens S</p> <p><b>Wireless Remote Control Type:</b> Bluetooth</p> <p><b>Power Source:</b> AC to DC Adapter (Included) Battery (Included) USB Power (Cable Not Included)</p> <p><b>Inputs/Outputs:</b> 1x Barrel / Coax Power Input 1x USB-C Power Input</p> <p><b>Battery:</b> 1x Proprietary Rechargeable, 22.2 VDC, 15,600 mAh, 57.72 Wh (1x Included)</p> <p><b>Battery Runtime:</b> 30-Minute Runtime at Maximum Brightness</p> <p><b>Battery Charge Time:</b> 2.5-Hour Charge Time via USB-C</p> <p><b>Battery Charging:</b> 1x AC to DC Adapter (Included) 1x USB-C Wall Charger (Not Included)</p> |  |
|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|




|              |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                       |
|--------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|              |   | <p><b>Input Power:</b> 24 VDC at 5 A 100 to 240 VAC, 50 / 60 Hz</p> <p><b>Included Adapter / Cable:</b> 1x USA Type-A/B Plug to Barrel / Coax AC to DC Adapter</p> <p><b>Power Pass-Thru:</b> No</p> <p><b>Power Consumption:</b> 100 W (Maximum)</p> <p><b>Fixture Mounting:</b> 1x 1/4"-20 Female Thread</p> <p><b>Included Mount Adapter:</b> 1x Swivel Mount: 5/8" Receiver to Proprietary</p>                                             |                                                                                       |
| Camera Strap | 2 | <p><b>Item Type:</b> 1 x Neck/Shoulder Strap for Camera</p> <p><b>Colour:</b> Black</p> <p><b>Adjustable Strap:</b> Yes</p> <p><b>Attachment Method:</b> To Camera: Lug Ring, Loop</p> <p><b>Load Capacity:</b> 198.4 lb / 90 kg</p> <p><b>Quick Release:</b> Yes</p> <p><b>Materials:</b> Nylon/Polyester/Rubber</p> <p><b>Strap Length:</b> 59.8" / 152 cm</p> <p><b>Strap Width:</b> 1.8" / 4.5 cm</p> <p><b>Weight:</b> 4.9 oz / 139 g</p> |   |
| SD Card      | 3 | <p><b>Card Type:</b> SDXC</p> <p><b>Storage Capacity:</b> 128 GB</p> <p><b>Bus Type:</b> UHS-II</p> <p><b>Speed Class:</b> Class 10 / U3 / V90</p>                                                                                                                                                                                                                                                                                             |  |




|                           |   |                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                       |
|---------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                           |   | <b>Read Speed:</b> Maximum: 300 MB/s<br><b>Write Speed: Maximum:</b> 260 MB/s Minimum: 90 MB/s<br><b>Built-in Write-Protect Switch:</b><br>Yes<br><b>Operating Conditions:</b> 32 to 158°F / 0 to 70°C<br><b>Storage Conditions:</b> -13 to 185°F / -25 to 85°C                                                                                                                                          |                                                                                       |
| SD Card                   | 2 | <b>Card Type:</b> SDXC<br><b>Storage Capacity:</b> 265GB<br><b>Bus Type:</b> UHS-II<br><b>Speed Class:</b> Class 10 / U3 / V90<br><b>Read Speed: Maximum:</b> 300 MB/s<br><b>Write Speed: Maximum:</b> 260 MB/s<br><b>Minimum:</b> 90 MB/s<br><b>Built-in Write-Protect Switch:</b> Yes<br><b>Operating Conditions:</b> 32 to 158°F / 0 to 70°C<br><b>Storage Conditions:</b> -13 to 185°F / -25 to 85°C |    |
| Closed Back Audio Monitor | 2 | <b>Wearing Style:</b> Dual Ear with Headband<br><b>Foldable:</b> Yes<br><b>Earpiece Swivel:</b> Yes<br><b>Open/Closed-Back:</b> Closed-Back<br><b>Impedance:</b> 38 Ohms<br><b>Active Noise Cancellation:</b> No<br><b>Frequency Response:</b> 15 Hz to 28 kHz<br><b>Built-In Mic:</b> No<br><b>Audio Connector:</b> 1x 1/8" / 3.5 mm TRS<br><b>Included Adapter:</b> 1/4" TRS                           |  |




|          |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                       |
|----------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|          |   | <p><b>Wearing Style:</b> Dual Ear with Headband</p> <p><b>Foldable:</b> Yes</p> <p><b>Earpiece Swivel:</b> Yes</p> <p><b>Earpiece Design:</b> Over-Ear (Circumaural)</p> <p><b>Open/Closed-Back:</b> Closed-Back</p> <p><b>Sound Field:</b> Stereo</p> <p><b>Driver Type:</b> Dynamic</p> <p><b>Driver Size:</b> 1.8" / 45 mm</p> <p><b>Impedance:</b> 38 Ohms</p> <p><b>Active Noise Cancellation:</b> No</p> <p><b>Frequency Response:</b> 15 Hz to 28 kHz</p> <p><b>Sensitivity:</b> 99 dB</p> <p><b>Maximum Power Handling:</b> 1600 mW</p> <p><b>Built-In Controls:</b> No</p> <p><b>Wired Audio Connector:</b> 1x 1/8" / 3.5 mm TRS</p> <p><b>Included Adapter:</b> 1/4" TRS</p> <p><b>Connector Plating:</b> Gold</p> <p><b>Cable Design:</b> Detachable / Straight</p> <p><b>Cable Length:</b> 9.8' / 3 m, 3.9' / 1.2 m</p> |                                                                                       |
| Lens Cap | 1 | <p><b>Type:</b> Front</p> <p><b>Size:</b> 82 mm</p> <p><b>Attachment Method:</b> Snap-On</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |




|                                                                  |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                      |
|------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| SD Card Reader                                                   | 3 | <p><b>Media Card Reader:</b> 1x SDXC (UHS-II “312 MB/s”) 1x microSDXC (UHS-II “312 MB/s”)</p> <p><b>Host Connection:</b> USB-C 3.1/3.2 Gen 2 via Detachable Cable</p> <p><b>Power Source:</b> Bus Powered</p> <p><b>Operating Conditions:</b> 32 to 104°F / 0 to 40°C up to 95% Humidity</p> <p><b>Storage Conditions:</b> -4 to 185°F / -20 to 85°C up to 95% Humidity</p> <p><b>Enclosure Material:</b> Aluminum</p> <p><b>Dimensions:</b> 4.1 x 2.3 x 0.5" / 103.4 x 57.7 x 12 mm</p>                                                                                                                                                                                                                |   |
| Charger for Godox V860III-S (Charger Model VC26 Battery Charger) | 1 | <p><b>Model:</b> Godox VC26 USB Battery Charger</p> <p><b>Type:</b> USB Battery Charger</p> <p><b>Purpose:</b> Flash Battery Charging</p> <p><b>Compatible Batteries:</b> VB26, VB26A, VB26B (Li-ion)</p> <p><b>Compatible Flash Models:</b> Godox V1S, V1C, V1N, V1F, V1O, V1P, V1Pro, V860III, V860III-C, V860III-N, V860III-S, V860III-O, V860III-F, V850III, AD100PRO</p> <p><b>Input:</b> DC 5V 2.0A</p> <p><b>Output:</b> DC 8.4V 1A</p> <p><b>Interface:</b> Type-C</p> <p><b>Indicator:</b> LED Status Indicator (Charging Status)</p> <p><b>Charging Cable:</b> USB charging cable not included (requires separate cable)</p> <p><b>Power Source:</b> USB Power Adapter (5V 2.0A required)</p> |  |



|                                           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                     |
|-------------------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <p><b>Clip-on Wireless Microphone</b></p> | <p>1</p> | <p>Wireless Technology: Digital 2.4 GHz</p> <p>Diversity: Non-Diversity</p> <p>Max Operating Range: 1115.5' / 340 m (Line of Sight)</p> <p>Receiver Type: 1x Camera-Mount 1x Plug-In (USB-C)</p> <p>Number of Audio Channels: 4</p> <p>Included Transmitters: 2x Clip-On</p> <p>Microphone Type: 2x Built-In (Clip-On Transmitter)</p> <p>Included Charging Case: Yes, with Integrated Battery</p> <p>RF Frequency Band: 2400 MHz</p> <p>Max Transmitters per Band: 4</p> <p>Latency: 20 ms (Maximum)</p> <p>Encryption: No</p> <p>Built-In Recorder: Yes (on Transmitter via Built-In Storage)</p> <p>Timecode Support: Yes</p> <p>Receiver Mounting Options: Shoe-Mount (with Included Hardware)</p> <p>Receiver Antenna: 2x Internal</p> <p>Receiver Audio I/O: 1x 1/8" / 3.5 mm TRS Unbalanced Line Output 1x 1/8" / 3.5 mm TRS Headphone Output</p> <p>USB/Lightning Connectivity: 1x USB-C Male</p> <p>Receiver Frequency Response: 20 Hz to 20 kHz</p> <p>Receiver Display: LCD (Non-Backlit)</p> <p>Receiver Power Requirements: Battery, Bus Power (USB)</p> <p>Transmitter Antenna: Internal</p> |  |
|-------------------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|




|  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  |  | <p><b>Transmitter Input Level:</b> Microphone</p> <p><b>Transmitter Audio I/O:</b> No</p> <p><b>Transmitter USB I/O:</b> No</p> <p><b>Transmitter Muting:</b> Off/On Switch</p> <p><b>Transmitter Auto-Level/Gain:</b> Yes</p> <p><b>Transmitter Frequency Response:</b> 20 Hz to 20 kHz</p> <p><b>Transmitter Sync Method:</b> 2.4 GHz QPSK</p> <p><b>Transmitter Display:</b> No</p> <p><b>Microphone Polar Pattern:</b> Omnidirectional</p> <p><b>Microphone Frequency Response:</b> 20 Hz to 20 kHz</p> <p><b>Microphone Maximum SPL:</b> 128 dB</p> <p><b>Microphone Sensitivity:</b> -37 dBV</p> <p><b>Microphone Color:</b> Gray</p> <p><b>Receiver Battery Type:</b> 1x Built-In Rechargeable</p> <p><b>Receiver Battery Life:</b> 12 Hours</p> <p><b>Transmitter Battery Type:</b> 1x Built-In Rechargeable</p> <p><b>Transmitter Battery Life:</b> 11 Hours</p> <p><b>Battery Charging Time:</b> 1.5 Hours</p> <p><b>Charging Case Additional Runtime:</b> 36 Hours</p> <p><b>Charging Case Battery:</b> 2000 mAh Rechargeable</p> <p><b>Charging Input:</b> USB-C</p> <p><b>AC/DC Power Adapter:</b> No</p> <p><b>Environmental Resistance:</b> No</p> <p><b>Receiver Dimensions:</b> 2.1 x 1.2 x 0.9" / 54.2 x 29.5 x 22.3 mm 1.6 x 1.1 x 0.4" / 40.7 x 27 x 9.1 mm</p> |  |
|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|





|  |  |                                                                                                                                                                             |  |
|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  |  | <b>Transmitter Dimensions:</b> 1.8 x 0.9 x 0.4" / 45.1 x 23.4 x 10.2 mm<br><b>Receiver Weight:</b> 0.8 oz / 24 g 0.2 oz / 5.9 g<br><b>Transmitter Weight:</b> 0.5 oz / 14 g |  |
|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

## 1 1











## 2. 2. 2



### 3. 3D 3D 3D



### 4. 3D 3D 3D




## 5 5



## 6 6

### Core Interactive Flat Panel Specifications

| Component         | Technical Parameter | Minimum Requirement Specifications                                               |
|-------------------|---------------------|----------------------------------------------------------------------------------|
| Display & Visuals | Screen Type         | Direct-lit LED Backlight with Anti-Glare/Anti-Fingerprint tempered safety glass. |
|                   | Display Size        | 98-inch diagonal minimum.                                                        |
|                   | Native Resolution   | 3840 x 2160 (4K UHD) at a minimum refresh rate of 60Hz.                          |
|                   | Aspect Ratio        | 16:9 widescreen format.                                                          |



26
 29

|                          |                            |                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | Viewing Angle              | 178° horizontal and vertical minimum.                                                                                                                                                                                                                                                                                                                                                                  |
|                          | Display Colors             | 1.07 Billion colors (10-bit) with automated ambient light brightness adjustments.                                                                                                                                                                                                                                                                                                                      |
| <b>Touch Mechanics</b>   | Sensing Technology         | High-precision Infrared (IR) sensing framework.                                                                                                                                                                                                                                                                                                                                                        |
|                          | Touch Points               | Minimum 40 to 50 simultaneous touch points supporting multi-user collaboration.                                                                                                                                                                                                                                                                                                                        |
|                          | Writing Interface          | Supports dual-color recognition, gesture erasing (palm erase), finger writing, smart charts, flowcharts, and instant whiteboard launching via integrated NFC tap module.                                                                                                                                                                                                                               |
| <b>Core Hardware</b>     | Processor (CPU)            | Flagship 8-Core configuration (Quad-core ARM Cortex-A73 + Quad-core ARM Cortex-A53 framework).                                                                                                                                                                                                                                                                                                         |
|                          | System Memory              | 8GB DDR4 RAM minimum.                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | Storage                    | 128GB high-speed flash storage (ROM) minimum.                                                                                                                                                                                                                                                                                                                                                          |
|                          | Operating System           | Android version 13.0 or higher.                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <b>Ecosystem Licensing</b> | <b>MANDATORY REQUIREMENT: Google Enterprise Devices Licensing Alliance (EDLA) Certified.</b> Panel must run a native Google Enterprise UI out of the box with official, unrestricted access to the <b>Google Play Store</b> , native <b>Google Workspace apps</b> (Drive, Docs, Sheets, Meet, Chrome), and full <b>Google Workspace Admin Console</b> centralized cloud device management integration. |
| <b>Audio &amp; Video</b> | Built-in Camera            | Integrated top-mounted 48MP Ultra HD AI Video Conferencing Camera featuring Auto-Framing, face-detection, and a minimum 102° distortion-free wide-angle lens.                                                                                                                                                                                                                                          |
|                          | Microphone Array           | Integrated 8-array microphone built into the touch frame; 12-meter sound pickup range, 180° wide-angle capture, AI background noise reduction, and Echo-Free full-duplex dual talk capabilities.                                                                                                                                                                                                       |
|                          | Speaker System             | Integrated multi-driver high-fidelity stereo soundbar system with a minimum combined output of 60W (featuring 2x 20W Front Speakers paired with an integrated 20W Low-Frequency Subwoofer).                                                                                                                                                                                                            |
| <b>Connectivity</b>      | Audio/Video Inputs         | HDMI 2.0 In x 3 minimum, VGA In x 1, Audio In x 1.                                                                                                                                                                                                                                                                                                                                                     |

27 5 29

|  |                        |                                                                                                                                                          |
|--|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Audio/Video Outputs    | HDMI Out x 1, Audio Out / Earphone x 1, Digital Optical SPDIF Out x 1.                                                                                   |
|  | Data & Touch Interface | USB 3.0 x 4 minimum, Type-C (Full-Function supporting 4K Video, Audio, Touch-back, and minimum 65W Power Delivery) x 1, USB Touch-Back type-B ports x 2. |
|  | Network                | Dual-Band Wi-Fi (Wi-Fi 6 supported), Bluetooth version 5.3 minimum, and Gigabit Ethernet RJ45 Lan ports (In/Out switch hub functionality).               |

## 7. 7. 7

