

## 

#### مرو برو

ور، المؤورور سوم الرسور و المرادر المرادر و المراد و المراد و المرادر و المردر و المرد (((%), )%)), %, ()) %,

## 1. سَرُوْرُنَاشُ مُرْسُعُ اللهُ وَرِيْرُوْ وَمِيْرُ

- 1.1 و رِوْرُورُ وَرِيْمُ وَرِيْ مُرْدُرُهِ وَمُرْدُمُ وَرِيرُ مُرْدُ وَمُرْدُهُ وَمُرْدُونُ وَرِيرُ مُرْدُونُ
- 1.2 كَرُمْ وَكُرْكُرُورُورُولُولُو وَ مِرْكُرُمِ وَكُرْكُورُولُولُ الْوَالْمِورُ مُرْكُودُ وَمُولُولُونَ الْمُو
- 1.3 وَوَرُرُ رَرُدُووُو دُو دُرُدُووُو وَكُرِ لَا وَرُودُورِ سِوْعٍ لَا لَدُورُ وَلِي الْمُوسِوِي دِوْكُو دُرُورُ وَكُن وَكُودُولُولُ הצילת הצתיתם.
- رُوُ دُرُسُونُ دُ مُنْ مِی دُی و سُرُهُ کُی عَامِر مَا و سَوْسِ وَمَا سَمْسُمُ دُدُ دُرِ دُرْسِر دُوسُرِ وَرَسُرُو
  - 1.5 وَرُسورِ مُا سَمْرُورُ مُرْمُ عِيْرُمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ وَمُرْمُ وَمُرْمِعُ وَمُرْمُ وَمُرْمُ
- 1.6 كولاسور مرور مرد كرد و درود و درو سؤسور سيسر وووي هوسروسرو.





## **Minimum requirements**

Item 01: Cordless 5" Random Orbit Sander

Quantity: 1

Specification	Description / Features
Brand	Makita, Dewalt, Milwaukee or equivalent
Product Dimensions	12"L x 12"W x 12"H
Grit Type	Medium
Voltage	18 Volts
Power Source	Hand Powered
AC Adapter Current	50 Amps
Grit Number	36
Item Weight	2.9 Pounds
Battery Description	18V LXT® Lithium-Ion
Item Weight	2.9 pounds
Batteries	1 Lithium Ion batteries required.
Size	5-Inch
Color	Factory
Style	Sander Only
Material	Plastic
Item Package Quantity	1
Included Components	Dust Bag (166078-4), 5" Round Abrasive Disc, Hook & Loop, 120 Grit
Batteries Included?	Yes
Batteries Required?	Yes
Description Pile	18V LXT® Lithium-Ion
Warranty Description	1 Year Warranty











#### Item 02: Mini Portable Vacuum Cleaner

Quantity: 2

Specification	Description / Features
Brand	YKSINX, shark, Phillips, Gtech or equivalent
Special Feature	Brushless Motor, 2 Speeds Suction, cordless, mini, 3 in 1 Sucking & Blowing & vacuum pump
Filter Type	steel filter and HEPA filter
Included Components	1*vacuum cleaner+1*suction nozzle+1*suction brush+1*blowing nozzle+1*blowing brush+1*floor brush+1*metal filter +2*HEPA filter+1*type-c charging cable+1*storage bag+1*user manual
Is Cordless?	Yes
Capacity	>3.4 ounces
Runtime	>25 minutes
Charging Time	>4 Hours
Maximum Suction	>4.72 Inches
Form Factor	Handheld
Battery Description	Lithium-lon
Amperage	>10.8 Amps
Controller Type	Push Button
Control Method	Touch
Style	Handheld
Number of Speeds	>2
Portable	Yes
Batteries	2 Lithium Ion batteries required. (included)
Specific instructions for use	cleaning, catch bug, blowing, vacuum pump
Batteries required	Yes















## Item 03: Cordless Airless Handheld Paint Sprayer

Quantity: 1

Specification	Description / Features
Brand	Graco or equivalent
Color	Blue
Recommended Uses For Product	Painting
Style	Gun
Power Source	Hand Powered
Maximum Pressure	>2000 Pound per Square Inch
Batteries	2 Lithium Ion batteries required. (included)
Mounting Type	Plate Mount
Special Features	Airless
Batteries included?	Yes
Battery Cell Type	Lithium Ion















## Item 04: Earth Auger Drill Bit

Quantity: 1

Specification	Description / Features
Bit compatible to	Makita DDG460 Cordless Earth Auger
Material	Alloy Steel
Cutting Diameter	7.92 Inches
Finish Type	Steel
Shank Type	Straight
Tool Flute Type	Spiral
Minimum Bore Diameter	8 Inches
Surface Recommendation	Alloy Steel



## Item 05: Earth Auger Bit Adapter D

Quantity: 1

Specification	Description / Features
	Earth auger bit adapter
	Suitable for use with Makita cordless DDG460 Earth Auger
	Manufactured from steel for increased durability and a longer service life
in the balance of the Miller Address	Adapter installs quickly and easily
	Compatible with industrial earth auger drill bits













#### Item 06: Laser Measure

Quantity: 2

Specification	Description / Features
Brand	Bosch, Makita, Dewalt, Milwaukee or equivalent
Material	Plastic
Battery Description	Rechargeable Lithium-Ion
Water Resistance Level	Water Resistant
Measuring Range	400 feet
International Protection Rating	IPX4
Power Source	Battery Powered
Voltage	120 Volts
Measurement System	Imperial
Special Features	Water resistant, camera, Bluetooth connectivity
Multiple measuring feature	real-time length, area, volume and indirect functions, and addition/subtraction capability
Memory Storage	Last 50 measurements and over 600 images
Included Components	(1) Lithium-Ion Laser Measure with Camera (1) Micro USB Cable (1) Battery Charger (1) Hand Strap (1) Pouch
Batteries Included?	Yes
Batteries Required?	Yes

















## **Item 07: Auto Darkening Welding Helmet**

Quantity: 1

Specification	Description / Features
Manufacturer	YESWELDER
Viewing Size	3.94"X3.23" viewing lens with side view
True Color View	1/1/1/1 optical clarity
Wide Shade Range	DIN4/DIN5~9/DIN~13
Operating Temperature	14°F ~ 131°F / -10°C~+55°C
Switching Time	1/30000s
UV Protection Level	DIN16
Standard	ANSI Z87.1/EN379 CE/CSA Z94.3
Batteries	1 Lithium Ion batteries required. (included)
Material	ABS&PP
Power Source	Battery Powered
Included Components	3 x Replacement Lens, 1 x Storage Bag, 1 x Welding Helmet, 1
	x Replaced Lithium Battery
Batteries Included?	Yes
Batteries Required?	Yes
Battery Cell Type	Lithium Ion













# Item 08: 18V Lithium-Ion Brushless Cordless 6" Pruning Saw,

Quantity: 1

Specification	Description / Features
Brand	Makita, Dewalt, Milwaukee or equivalent
Blade Material	Aluminum Oxide
Surface Recommendation	Wood
Power Source	Battery Powered 18V
Special Feature	Brushless
Included Components	6" Saw Chain, .325" LP, .043", 32, Low Kickback (T-05907), 6" Guide Bar, .325" LP, .043", F002, 32 (T-05913)
Voltage	18 Volts
Blade Length	2 Inches
Number of Teeth	6
Battery included?	Yes













## Item 09: Cordless 2" Brad Nailer

Quantity: 1

Specification	Description / Features
Manufacturer	Makita, Dewalt, Milwaukee or equivalent
Batteries	1 Lithium Ion batteries required.
Drives a range	One Size
Color	Factory
Style	Tool Only
Power Source	Hand Powered
Voltage	18 Volts
Item Package Quantity	1
Capacity Description	up to 110 nails
Included Components	18V LXT Lithioncrdlss2 Brad Nailer 18 Ga. Tool On
Batteries Included?	Yes
Batteries Required?	Yes
Warranty Description	3-year limited warranty
	from 5/8" to 2", magazine capacity up to 110 nails
2-mode selector switch for sequential of	or contact nailing operation.
	nt dial for a wide variety of finish applications
Anti-dry drive mechanism engineered t	to prevent driving blanks and damage to work surface
The battery gauge indicates battery ch	arge level
Drives up to 1,660 finish nails using a 5.0Ah 18V LXT Battery	













## Item 10: battery hot gun

Quantity: 1

Specification	Description / Features
Processor	Makita, DeWalt, Milwaukee, Ryobi or equivalent
Power Source	Battery Powered 18v
Item Package Quantity	1
Included Components	1-3/8" Glass Protection Nozzle (PR00000028);1-3/8" Wide-Slot Nozzle (PR00000029);1-3/8" Reflector Nozzle (PR00000030);1-3/8" Reduction Nozzle (PR00000031);Tool Case
Batteries Included?	Yes
Batteries Required?	Yes
Warranty Description	3-year limited warranty
Variable temperature	Upto 1,022°F
Variable air flow	4.2/7.1 CFM
Run Time	Upto 30minutes on low setting













## Item 11: Cordless Handheld Blower

Quantity: 1

Specification	Description / Features
Brand	Makita, DeWalt, Milwaukee or equivalent
Voltage	18 Volts +
Noise Level	94 dB
Style	Cordless, Handheld
Speed	18000 RPM
Batteries	1 Lithium Ion batteries required.
3 air volume settings	Low, Medium, High
Max air velocity:	98 m/sec
Max air volume :	3.2 m³/min
Max Sealed Suction	5.8 kPa
Batteries Included?	Yes
Batteries Required?	Yes















#### Item 12: Battery Angle grander 40v

Quantity: 1

Specification	Description / Features
Brand	Makita, DeWalt, Milwaukee or equivalent
Material	Metal
Style	Angled
Power Source	Battery Powered
Voltage	40 Volts
Minimum Rotational Speed	3450 RPM
Included Components	Grinding wheel, wheel guard and side handle
Batteries Included?	Yes
Batteries Required?	Yes
Convenience	X-LOCK quick change system allows for tool-free wheel changes
Control	AFT turns the motor off if rotation of the wheel is suddenly forced to stop
Productivity	Electric brake stops the grinding or cut-off wheel in 2 seconds or less for maximum productivity
Performance	Makita-built brushless motor along with 40V max XGT battery combine to deliver powerful grinding













## Item 13: 8V MAX Cordless Screwdriver, Gyroscopic

Quantity: 1

Specification	Description / Features
Brand	DEWALT, Milwaukee or equivalent
Speed	0-430 RPM
Power Source	Battery Powered
Voltage	8 Volts
Number of Batteries	1
Recommended Uses For Product	General construction, assembly, or installation work, particularly in confined spaces or when precision and speed are necessary
Battery Cell Composition	Lithium
Batteries	1 Product Specific batteries required. (included)
Style	Screwdriver Only
Head Style	Hex
Special Features	Cordless
Included Components	1 hour charger   8V MAX* Compact Battery
Batteries Included?	Yes
Batteries Required?	Yes













#### Item 14: Li-ion LXT Brushless Multi-Tool

Quantity: 1

Specification	Description / Features
Brand	Makita, DeWalt, Milwaukee or equivalent
Voltage	18 Volts
Power Source	Battery Powered
Recommended Uses For Product	Cutting, Sanding
Special Feature	Cordless
Maximum Rotational Speed	20000 RPM
Style	Angled
Minimum Speed	10000 RPM
Type of Bulb	LED
Special Features	Cordless
Batteries Included?	Yes
Batteries Required?	Yes
Other Details	Oscillation angle 3.6 degrees for faster cutting and sanding
	Soft start, variable speed controlled by dial and constant speed control
	Easy to operate slide switch for continuous use
	Anti-restart function
	12 angle settings for accessories at every 30 degrees from 0 degrees to 360 degrees
	Compatible with Starlock Max accessories













#### Item 15: 5 Pc. Starlock® Oscillating Blade Set Quantity: 1

Specification Compatible to	Description / Features Makita DTM52Z
Blades	1 x 2-1/2" Starlock curved plunge Blade (BIM) 1 x 1-1/4" Starlock Plunge Blade (HCS) 1 x 1-1/4" Star lock Plunge Blade (BIM) 1 x 1-1/4" Starlock carbide Tipped Metal blade 1 x 3-1/4" Starlock All purpose Blade (BIM)
Öthers	<ul> <li>Ideal for wood and metal cutting</li> <li>For cutting wood and wood with nails</li> <li>Starlock Interface for maximum performance</li> <li>Compatible with most oscillating multi-tools</li> <li>Included Components: 5 Pc. Starlock Oscillating Blade Set</li> </ul>
















Item 16: Telescoping Ladder 20.3FT Quantity: 1

Specification Fully retracted height	Description / Features 3.4FT
Fully extended length	20.3FT
Special Feature	Portable
Gross Weight	<36.4lb
Material	Aluminum Alloy













#### Item 17: Floor Jack with Dual Pumps Quickly Lift Hydraulic Car Jack with Pad, 4 Ton

Quantity: 1

Specification	Description / Features
material	Alloy Steel
Style	Floor Jack
load capacity	4 tons
max lifting height	>19" inches
minimum height	<4.31" inches
compatible vehicles	Truck, Car
Features	Dual pump, 360 degree rear caster, steel front caster, replaceable rubber saddle
















## Item 18: 7 in 1 Welding Machine


Quantity: 1

Brand	A OFINEL DED. VEOLAGE DED. DUDIK
Dianu	ACEWELDER, YESWELDER, RUBIK or equivalent
Others	7 in 1 MIG welding machine (GAS MIG, FLUX CORE MIG, MMA, LIFTING, SPOOL GUN, SPOT WELDING, MIG ALUMINIUM PULSE)
	Automatically identifying the input voltage, and clearly display through the front panel indicator,110V or 220V.
	Actual 200A current, can weld up to 12mm plate (12/25").
	Equipped with overheat, overload protection, over current protection. It's safe and reliable
	Upgraded Large LED Display
Power Source	ac
Included	MIG welder, teflon liner, Earth Clamp, Electrode Holder, Gas Hose, Nozzles and Contact
Components	Tips, Drive Rollers, Adapter, Hammer & Brush, MIG Torch















## Item 19: Line Laser, Self-Leveling, Cross Line, Red Beam

Quantity: 1

Specification	Description / Features
Brand	DeWalt, Makita, Milwaukee or equivalent
Material	Plastic, Metal
Color	Red
Style	Cross Line Red or green
Operation Mode	Automatic
Batteries	1 Lithium Polymer batteries required. (included)
Power Source	Battery Powered
Voltage	4.5 Volts
Measurement Accuracy	4 degrees
Laser Beam Color	Red
Special Features	up to a 165 ft. range when used with a detector
	water and debris resistant with an IP54 rating
	self-leveling,
	integrated magnetic bracket,
	Approximately 1/8-inch accuracy at 30 ft
	Class 2 laser with an output Power of less than or equal to 1.3 MW at 630
	680nm
Batteries Included?	Yes
Batteries Required?	Yes













#### Item 20: Makita Power Station 18v and 40v

Quantity: 2 per vottage

Warranty: Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Makita
Charger 18v	Fast Charging / rapid Charging
Charger 40v	Fast Charging / rapid Charging

## Item 21: Makita Battery 18v and 40v

Quantity: 4 per vottage


Warranty: Minimum 1 Year Hardware Warranty

Specification	Description / Features
Brand	Makita
D-4	18V LXT Lithium-Ion 5.0 Ah Batteries
Battery	40V Max XGT 4.0 Ah Lithium Ion Battery

#### Item 22: Metal Cutter Drill Attachment

Quantity: 2

Specification	Description / Features
Suitable for cutting	Iron sheets (0.2-1mm), white iron sheets (0.3-1.2mm), steel sheets (0.2-
	0.8mm), copper sheets (0.3-1.2mm), and aluminum sheets (0.3-1.2mm).













# Item 23: Non-Contact Voltage Wireless Clamp Meter

Quantity: 1

Specification	Description / Features
Brand	Fluke or equivalent
Style	1000A AC/DC TRMS NONCONTACT VOLTAGE WIRELESS CLAMP
Voltage AC/DC	1000
Current AC (clamp jaw / iFlex)	999.9 / 2500
Current DC	999.9
Resistance / Continuity	60 kΩ / Yes
Three-phase calculations	yes
Power Quality indicator	yes
Data Logging	yes
Inrush	yes
Low pass filter (for VFD)	yes
Safety	CAT IV 600 V













## Item 24: Quiet Portable Inverter Generator

Quantity: 1

Specification	Description / Features
<b>Preferred Origins of Brand</b>	Japanese, American, European or equivalent quality and specifications
Wattage	2000 - 3000 watts
Fuel Type	Gasoline
Power Source	Fuel Powered
Item Weight	<50 Pounds
Special Feature	Super Quiet, Automatic Voltage Regulation, Lightweight, Fully Enclosed Design
<b>Included Components</b>	Engine Oil, Oil Funnel, Tool Kit, Owner's Manual
Frequency Regulation	Inverter
Run Time on 25% load	>8 Hours













## Item 25: Portable Jump Starters

Quantity: 1

Specification	Description / Features
Brand	Clore Automotive, Stanly, Dewalt or equivalent
Peak Amperage	2000 amps
Starting Amps	450 amps
Recharge Energy	100 watt-hours
Weight	2.64 pounds
Others	24 inch #6 AWG Cables
	Start up to 8L Gasoline Engines
	Start up to 6L Diesel Engines
	12 Vold DC Outlet to Power Accessories
	Includes USB Wall Charger, USB-C Cable, 12V Adapter, and Carrying Case













## Item 26: Battery Charger and Maintainer 4-in-1

Quantity: 1

Specification	Description / Features
Brand	Schumacher, NOCO, or equivalent
Amperage	10.0A, 3.0A maintain
<b>Battery Voltage Compatibility</b>	12V
<b>Battery Type Compatibility</b>	Standard, AGM, Gel, Deep Cycle
Modes	Disulfate, Deep Cycle, Charge, Maintain
Reverse Hookup Protection	Yes









#### Item 27: Aluminum Door Handle

Quantity: 100

Specification	Description / Features
Color	Black
Style	Recoverable
Material	Metal
Shape	Rectangular
Handle Material	Aluminum
Other	With rectangular shield, recoverable, no hand held
	8mm square
	For doors with a maximum thickness of 40 mm
	Includes fixing screws



#### Item 28: Venetian Wooden Blind

Quantity: 12

Specification	Description / Features
Color	Walnut
Slat Width	50mm
Composition	Basswood
For Window size	H: 1524 W:1093





