


[illegible][illegible][illegible][illegible][illegible][illegible]

اِسْمُكَ اَنْتَ اِلَهُنَا اِنْ شَاءَ رَبُّنَا اُنْزِلْ عَلَيْنَا مَائِدَتَكَ مِنَ السَّمَاءِ فَاَوْفُوا بِوَعْدِكُمْ لَا يَكُنْ صَدَقَاتِنَا ذَرْبًا لِلْعٰمِلِيْنَ


فَوَيْلٌ لِلَّذِينَ كَفَرُوا مِنْ عَذَابِ اللَّهِ الْكَبِيرِ




1.1

1.1.1. مواصفات المركبة الكهربائية

Specification	
Preferred Origin	China origin
Motor	72V/7.5KW (National Standard for New Energy AC Motors-7.5KW)
Condition	No Damage
Colour	Beige / White
Battery	Maintenance free Battery 6v-200AH*12pcs
Controller	Transaxle with 16:1 gear ratio
Charger	Intelligent car charger 72V/30A, charging time between 8 - 10 hours (discharge rate of 80%)
Performance	
Passenger capacity	14 Adult
Range (loaded) based on flat road at a speed of 20km/h	≥90KM (greater than or equal to 90 kilometers)
Maximum speed	30km/h
Minimum turning radius	6.5m
Maximum climbing ability (loaded)	20%
Dimensions	
Min. ground clearance (mm)	155
Tread (mm)	Front 1300mm Rear 1330mm



Body and Frame	
Frame / body	Aluminum alloy components (frame, crossbeam, side panels) + steel chassis + fiberglass-reinforced plastic (FRP) shell/ABS engineering plastic molded parts
Roof	Double-sided light fiberglass roof
Windshield	Laminated glass
Large Seats: backrest and cushion	Cold-rolled sponge and high-rebound PU leather fabric
Large Seats: armrest	rubber
Large Seats: seat bottom	plastic
Floor	Aluminum
Mirror outside	Included
Electric system	
Lighting system	Front light, turning light, fog light, reversing light, rear tail light, horn
Dashboard	Digital display LCD integrated instrument panel + USB charging port
Sound sytem	Mobile MP3 player + with professional speakers (with Bluetooth feature)
Reversing alarm	Included
Speed meter	Included
Steering and Suspension	
Steering system	Dual automotive-style strut and self-adjust rack-and pinion steering (EPS is for optional)



Steering wheel	Car steering wheel
Brake system	front disc brake and rear drum brake - handbrake
Accelerator	Electric accelerator

Suspension system	Front: Independent suspension, Helical Spring with hydraulic shock absorber Rear: Integrated transaxle with gear 16:1, leaf spring shock Absorber
Wheel & Tyre	13-inch steel wheel 165/70 R13 Tyre, diameter 560mm
Logo	Council logo to be printed on the vehicle

Additional Spare/Toolkit to be delivered with the vehicle		
1	4 Nos	Spare Wheel
2	1 Set	Necessary Tool Kit (eg: Wrenches, screwdriver if customized)
3	4 Nos	Bearing
4	1 Nos	charger
5	1 set	Navigation / front / back bulbs



